


TYR TACTICAL® SHIELD LOAD CARRIAGE SYSTEM - SLCS VIEWPORT



TYR TACTICAL® SHIELD LOAD CARRIAGE SYSTEM GUNFIGHTER™ BELT

FEATURES & SPECIFICATIONS:

- Patent Pending Shield Load Carriage System
- Dim: 6" W
- Construction: Engineered utilizing patented PV® material
- PALS webbing for MOLLE attachment
- Patented Ballistic Vein®
- Antimicrobial/FR treated padded spacer mesh



SOFT ARMOR	PROTECTION LEVEL
NFA2/DK	Exceeds Level II & USSOCOM Frag Spec
NFA2/10	Meets NIJ 0101.06 Level II Certification
NFA3/10	Meets NIJ 0101.06 Level II Certification
TXP3A	Meets NIJ 0101.06 Level IIIA Certification

TYR TACTICAL® SHIELD LOAD CARRIAGE SYSTEM STAYS

FEATURES & SPECIFICATIONS:

- The SLCS' innovative design allows for effortless movement and swift maneuvering while maintaining optimal levels of protection and efficiency
- Patent Pending Shield Load Carriage System
- Construction: Engineered utilizing low carbon steel
- Sizes: Regular, T-Rex

FIGURE	DESCRIPTION	ITEM#
A	TYR TACTICAL® SINGLE POINT DUAL SHOULDER SLING, VIEWPORT SHIELD	TYR-WS200-DS-CH-VP
B	TYR TACTICAL® COMBAT SUSPENDERS	TYR-SUS001
C	TYR TACTICAL® PATENT PENDING SLCS METAL STAY	TYR-SLCS-STY
D	TYR TACTICAL® BASE BELT-D WITH 2" COBRA BUCKLE	TYR-DBB002
E	TYR TACTICAL® SLCS BELT	TYR-BKBLB-SLCS
F	TYR TACTICAL® SLCS RETENTION STRAP ADAPTER TWO WEBBING STRAPS	TYR-RSADPTR-VP
G	TYR TACTICAL® SHIELD HANDLE COVER	TYR-SHC


TYR TACTICAL® SHIELD LOAD CARRIAGE SYSTEM - SLCS NON-VIEWPORT



TYR TACTICAL® SHIELD LOAD CARRIAGE SYSTEM GUNFIGHTER™ BELT

FEATURES & SPECIFICATIONS:

- Patent Pending Shield Load Carriage System
- Dim: 6" W
- Construction: Engineered utilizing patented PV® material
- PALS webbing for MOLLE attachment
- Patented Ballistic Vein®
- Antimicrobial/FR treated padded spacer mesh



SOFT ARMOR PROTECTION LEVEL

SOFT ARMOR	PROTECTION LEVEL
NFA2/DK	Exceeds Level II & USSOCOM Frag Spec
NFA2/10	Meets NIJ 0101.06 Level II Certification
NFA3/10	Meets NIJ 0101.06 Level II Certification
TXP3A	Meets NIJ 0101.06 Level IIIA Certification

TYR TACTICAL® SHIELD LOAD CARRIAGE SYSTEM STAYS

FEATURES & SPECIFICATIONS:


- The SLCS' innovative design allows for effortless movement and swift maneuvering while maintaining optimal levels of protection and efficiency
- Patent Pending Shield Load Carriage System
- Construction: Engineered utilizing low carbon steel
- Sizes: Regular, T-Rex

FIGURE	DESCRIPTION	ITEM#
A	TYR TACTICAL® SINGLE POINT DUAL SHOULDER SLING, NON-VIEWPORT SHIELD	TYR-WS200-DS-CH-NV
B	TYR TACTICAL® COMBAT SUSPENDERS	TYR-SUS001
C	TYR TACTICAL® PATENT PENDING SLCS METAL STAY	TYR-SLCS-STY
D	TYR TACTICAL® BASE BELT-D WITH 2" COBRA BUCKLE	TYR-DBB002
E	TYR TACTICAL® SLCS BELT	TYR-BKBLB-SLCS
F	TYR TACTICAL® SLCS RETENTION STRAP ADAPTER TWO WITH LOOP	TYR-RSADPTR-NV
G	TYR TACTICAL® SHIELD HANDLE COVER	TYR-SHC

TYR TACTICAL® SHIELD LOAD CARRIAGE SYSTEM SLCS




SHIELD LOAD CARRIAGE SYSTEM GUNFIGHTER™ BELT SIZING



Measure over your clothing from inside one hip bone to inside the other (FIGURE A). The ends of the belt should leave a **6" GAP** in the front of your waistline (FIGURE B). Once you have that total length, compare it to the chart below for belt sizing. If you desire a closer fit then simply measure leaving only a **3" GAP** to account for the Cobra® Buckle.

TOTAL LENGTH OF THE BELT BELOW REFLECTS MEASUREMENTS FROM END-TO-END, NOT PANT SIZES.



TYR-BKBLB-SLCS

SMALL 26"	MEDIUM 30"	LARGE 34"	XLARGE 38"	2XLARGE 42"
---------------------	----------------------	---------------------	----------------------	-----------------------

SHIELD LOAD CARRIAGE SYSTEM ARM SIZING - HEIGHT CHART

ARM SIZE	HOLE	HEIGHT	ARM SIZE	HOLE	HEIGHT
<i>Regular</i>	1	6'4"+	<i>T-Rex</i>	1	5'8"-5'10"
	2	6'2" - 6'4"		2	5'6"-5'8"
	3	6'0" - 6'2"		3	5'4"-5'6"
	4	5'10" - 6'0"		4	- 5'4"

