



TYR
TACTICAL®

BALLISTIC PLATES AND RAPID RESPONSE SHIELDS SYSTEMS

INNOVATE OR DIE

OUR BRANDS

Established in 2010, TYR Tactical® is the leading global manufacturer of tactical gear and equipment for military and law enforcement. Our wide range of products are designed to meet the needs of tactical operators, including tactical vests, plate carriers, concealable carriers, hard armor and shields, carrier accessories, and more.



TYR TACTICAL®

Leading tactical gear and equipment, offering a wide range of products to meet the needs of operators.



HURON™

Leading personal gear product line made to work in conjunction with all TYR Tactical® gear. Constructed utilizing industry's best textiles and built to last in the harshest environments.



REVERE K9®

Provides top-of-the-line tactical gear for our K9 counterpart.

AWARDS & ACCOLADES

- 2012 Dupont Kevlar Innovation Award
- 2015 Arizona State University Hahnco Companies Special Achievement in Entrepreneurship
- 2017 Peoria Chamber of Commerce City Manager's Award
- 2020 Pine District Business of the Year
- 2020 Phoenix Business Journal Arizona Corporate Excellence Fastest-Growing Companies
- 2022 Arizona Manufacturers Council Medium Manufacturer of the Year
- 2023 Arizona Capitol Times Leader of the Year
- 2024 Arizona Chamber of Commerce Corporate Citizen of the Year



Dear Friends,


As co-founders of TYR Tactical®, our mission has always been to prioritize your safety through innovative designs and technologies. We are dedicated to serving the men and women of Law Enforcement, Federal Agencies, and U.S. and Allied Armed Forces with products that set the industry standards.

Guided by our mantra Innovate or Die®, we focus on creating ergonomic, dynamic solutions that enhance comfort, movement, and performance. Through rigorous testing and user feedback, we ensure our gear not only meets but exceeds mission demands.

As a proud family-owned business, we are honored to support those who serve their communities. We are dedicated to delivering high-quality gear that excels in modularity and scalability while continually enhancing tactical performance. Our commitment to innovation ensures that our products set the standard in the industry and stand as a testament to our unwavering commitment to your safety and operational excellence.

With Servitude and Gratitude,

Jason & Jane Beck



TYR TACTICAL®

TYR-XHA3/BD HARD ARMOR PLATE



1.05 in.
(27 mm)
PLATE THICKNESS

2.05 –
4.26 lbs.
WEIGHT

PLATE PART#	TYR-XHA3/BD TYR-XHA3/BD-66	
WEIGHTS	XSmall: 2.05 lbs. Small: 2.71 lbs. Medium: 3.24 lbs. Large: 3.64 lbs. XLarge: 4.26 lbs. 6x6: 1.06 lbs.	
DIMENSIONS	XSmall: 6.87" x 11.12" Small: 8.5" x 11.5" Medium: 9.3" x 12.3" Large: 10" x 13" XLarge: 10.9" x 13.8" 6x6: 6" x 6"	
TESTING STANDARD	Certified NIJ 0101.06	
PROTECTION LEVEL	Level III	
CONFIGURATION	Stand Alone	
PLATE THICKNESS	1.05 in. / 27 mm	
BUOYANCY	Positive	
CURVATURE	Multi Curve 6x6: Single Curve	
MATERIALS	UHMWPE & Elastomeric Urethane Foam	
COVER	Black Polyurea	
THREATS	5.56 x 45-mm, 56-grain M193 7.62 x 39-mm, 123-grain MSC 7.62 x 51-mm, 149-grain M80 FMJ	
PRICE	TYR-XHA3/BD TYR-XHA3/BD-66	\$457.95 \$1 49.95

TYR TACTICAL®

TYR-HA3/ST HARD ARMOR PLATE



.82 in.
(21 mm)

PLATE THICKNESS



1.78 –
3.70 lbs.

WEIGHT

PLATE PART#	TYR-HA3/ST TYR-HA3/ST-66	
WEIGHTS	XSmall: 1.78 lbs. Small: 2.36 lbs. Medium: 2.82 lbs. MD4: 2.90 lbs. Large: 3.16 lbs. XLarge: 3.70 lbs. 6x6: .92 lbs.	
DIMENSIONS	XSmall: 6.87" x 11.12" Small: 8.5" x 11.5" Medium: 9.3" x 12.3" Large: 10" x 13" XLarge: 10.9" x 13.8" 6x6: 6" x 6"	
TESTING STANDARD	Certified NIJ 0101.06	
PROTECTION LEVEL	Level III	
CONFIGURATION	In-Conjunction with NFA3/10 or TXP3A	
PLATE THICKNESS	.82 in. / 21 mm	
BUOYANCY	Positive	
CURVATURE	Multi Curve 6x6: Single Curve	
MATERIALS	UHMWPE & Elastomeric Urethane Foam	
COVER	Black Polyurea	
THREATS	5.56 x 45-mm, 56-grain M193 7.62 x 39-mm, 123-grain MSC 7.62 x 51-mm, 149-grain M80 FMJ	
PRICE	TYR-HA3/ST TYR-XHA3/ST-66	\$995.95 \$199.95

TYR TACTICAL®

TYR-XHA3/7A/T HARD ARMOR PLATE



.89 in.
(23 mm)
PLATE THICKNESS

2.60 –
5.19 lbs.
WEIGHT

PLATE PART#	TYR-XHA3/7A/T TYR-XHA3/7A/T-66	
WEIGHTS	X-Small: 2.60 lbs. Small: 3.31 lbs. Medium: 3.95 lbs. Large: 4.46 lbs. X-Large: 5.19 lbs. 6x6: 1.17 lbs.	
DIMENSIONS	XSmall: 7.1" x 11.4" Small: 8.6" x 11.7" Medium: 9.5" x 12.5" Large: 10" x 13" XLarge: 10.9" x 13.8" 6x6: 6" x 6"	
TESTING STANDARD	Certified NIJ 0101.06	
PROTECTION LEVEL	Level III	
CONFIGURATION	In-Conjunction with NFA3/10	
PLATE THICKNESS	.89 in. / 23 mm 6x6: .68 in. / 17 mm	
BUOYANCY	None	
CURVATURE	Multi Curve 6x6: Single Curve	
MATERIALS	Ceramic Composite HAP	
COVER	TPU	
THREATS	5.56 x 45-mm, 56-grain M193 5.56 x 45-mm, 62-grain M855 7.62 x 39-mm, 123-grain MSC 7.62 x 51-mm, 149-grain M80 FMJ	
PRICE	TYR-XHA3/7A/T	\$495.95
	TYR-XHA3/7A/T-66	\$245.95

TYR TACTICAL®

TYR-XHA3/1/T HARD ARMOR PLATE



.61 in.
(15 mm)
PLATE THICKNESS



2.43 –
4.83 lbs.
WEIGHT

PLATE PART#	TYR-XHA3/1/T TYR-XHA3/1/T-66	
WEIGHTS	XSmall: 2.43 lbs. Small: 3.08 lbs. Medium: 3.68 lbs. Large: 4.15 lbs. XLarge: 4.83 lbs. 6x6: 1.13 lbs.	
DIMENSIONS	XSmall: 7.1" x 11.4" Small: 8.6" x 11.7" Medium: 9.5" x 12.5" Large: 10" x 13" XLarge: 10.9" x 13.8" 6x6: 6" x 6"	
TESTING STANDARD	Modified NIJ 0101.06	
PROTECTION LEVEL	Level III & Special Threats	
CONFIGURATION	In-conjunction with NIJ Level II or above	
PLATE THICKNESS	.61 in. / 15 mm	
BUOYANCY	None	
CURVATURE	Multi Curve 6x6: Single Curve	
MATERIALS	Ceramic Composite HAP	
COVER	TPU	
TREATS	<p>Multi-hit 5.45x39-mm, 53-grain MSC7N6 5.56 x 45-mm, 55-grain M193 Ball 5.56 x 45-mm, 62-grain M855, SS109 7.62 x 39-mm, 123-grain PS Ball 7.62 x 51-mm, 149-grain M80 FMJ</p> <p>Single hit 7.62x54R-mm, 148-grain LPS</p>	
PRICE	TYR-XHA3/1/T	\$624.95
	TYR-XHA3/1/T-66	\$399.95

TYR TACTICAL®

TYR-XHA1192/T HARD ARMOR PLATE



.56 in.
(14 mm)
PLATE THICKNESS



2.68 –
4.99 lbs.
WEIGHT

PLATE PART#	TYR-XHA1192/T
WEIGHTS	XSmall: 2.68 lbs. Small: 3.33 lbs. Medium: 3.81 lbs. Large: 4.42 lbs. XLarge: 4.99 lbs.
DIMENSIONS	XSmall: 6.95" x 11.43" Small: 8.67" x 11.67" Medium: 9.4" x 12.4" Large: 10.17" x 13.17" XLarge: 10.9" x 13.9"
TESTING STANDARD	Modified NIJ 0101.06
PROTECTION LEVEL	Level III & Special Threats
CONFIGURATION	In-Conjunction with NIJ Level II or above
PLATE THICKNESS	.56 in. / 14 mm
BUOYANCY	None
CURVATURE	Multi Curve
MATERIALS	Ceramic Composite HAP
COVER	TPU
THREATS	5.45 x 39-mm, 53-grain MSC 7N6 5.56 x 45-mm, 55-grain M193 Ball 5.56 x 45-mm, 62-grain M855 Ball A1 5.56 x 45-mm, 62-grain M855 Ball SS109 7.62 x 39-mm, 123-grain MSC 7.62 x 39-mm, API - BZ 7.62 x 54R-mm, 148-grain LPS 7.62 x 51-MM, 149-grain M80 FMJ
PRICE	TYR-XHA1192/T \$1,095.95

TYR TACTICAL®

TYR-XHA3/HST HARD ARMOR PLATE




PLATE PART#	TYR-XHA3/HST TYR-XHA3/HST-66	
WEIGHTS	XSmall: 1.52 lbs. Small: 1.90 lbs. Medium: 2.20 lbs. Large: 2.56 lbs. XLarge: 2.90 lbs. 6x6: 0.73 lbs.	
DIMENSIONS	XSmall: 6.9" x 10.9" Small: 8.5" x 11.5" Medium: 9.3" x 12.3" Large: 10" x 13" XLarge: 10.9" x 13.8" 6x6: 6" x 6"	
TESTING STANDARD	NIJ 0101.06	
PROTECTION LEVEL	Level III	
CONFIGURATION	Stand Alone or In-Conjunction with PSA2/18	
PLATE THICKNESS	.59 in. / 15 mm	
BUOYANCY	Positive	
CURVATURE	Multi Curve	
MATERIALS	UHMWPE	
COVER	Black Polyurea	
THREATS	Stand Alone 5.45 x 39-mm, 53-grain 7N6 5.56 x 45-mm, 55-grain M193 Ball 7.62 x 39-mm, 123-grain MSC In-Conjunction 7.62 x 51-mm, 149-grain M80 FMJ	
PRICE	TYR-XHA3/HST	\$1,195.95
	TYR-XHA3/HST-66	\$395.95

TYR TACTICAL®

TYR-XHA3/HST-SWC HARD ARMOR PLATE

SHOOTER/SWIMMER CUT



.59 in.
(15 mm)
PLATE THICKNESS

1.87 –
2.41 lbs.
WEIGHT

PLATE PART#	TYR-XHA3/HST-SWC
WEIGHTS	Small: 1.87 lbs. Medium: 2.10 lbs. Large: 2.18 lbs. XLarge: 2.41 lbs.
DIMENSIONS	Small: 8.5" x 11.5" Medium: 9.3" x 12.3" Large: 10" x 13" XLarge: 10.9" x 13.8"
TESTING STANDARD	NIJ 0101.06
PROTECTION LEVEL	Level III
CONFIGURATION	Stand Alone or In-Conjunction with PSA2/18
PLATE THICKNESS	.59 in. / 15 mm
BUOYANCY	Positive
CURVATURE	Multi Curve
MATERIALS	UHMWPE
COVER	Black Polyurea
THREATS	Stand Alone 5.45 x 39-mm, 53-grain 7N6 5.56 x 45-mm, 55-grain M193 Ball 7.62 x 39-mm, 123-grain MSC In-Conjunction 7.62 x 51-mm, 149-grain M80 FMJ
PRICE	TYR-XHA3/HST-SWC \$1,195.95

TYR TACTICAL®

TYR-XHA4/7-S/T HARD ARMOR PLATE



.95 in.
(25 mm)

PLATE THICKNESS



4.09 –
8.13 lbs.

WEIGHT

PLATE PART#	TYR-XHA4/7-S/T	
WEIGHTS	X-Small: 4.09 lbs. Small: 5.15 lbs. Medium: 6.17 lbs. Large: 6.99 lbs. X-Large: 8.13 lbs.	
DIMENSIONS	XSmall: 7.1" x 11.4" Small: 8.6" x 11.7" Medium: 9.5" x 12.5" Large: 10" x 13" XLarge: 10.9" x 13.8"	
TESTING STANDARD	Certified NIJ 0101.06	
PROTECTION LEVEL	Level IV	
CONFIGURATION	In-Conjunction with NFA3/10	
PLATE THICKNESS	0.95 in. / 25 mm	
BUOYANCY	None	
CURVATURE	Multi Curve	
MATERIALS	Ceramic Composite HAP	
COVER	TPU	
THREATS	30.06, 166-grain M2 AP	
PRICE	TYR-XHA4/7-S/T	\$595.95

TYR TACTICAL®

TYR-XHA4/S6/T HARD ARMOR PLATE



.75 in.
(19 mm)
PLATE THICKNESS



3.16 –
5.90 lbs.
WEIGHT

PLATE PART#	TYR-XHA4/S6/T
WEIGHTS	XSmall: 3.16 lbs. Small: 3.93 lbs. Medium: 4.50 lbs. Large: 5.21 lbs. XLarge: 5.90 lbs.
DIMENSIONS	XSmall: 6.95" x 11.43" Small: 8.67" x 11.67" Medium: 9.4" x 12.4" Large: 10.17" x 13.17" XLarge: 10.9" x 13.9"
TESTING STANDARD	Modified NIJ 0101.06
PROTECTION LEVEL	Level III & Special Threats Stand Alone Level IV In-Conjunction
CONFIGURATION	Level III & Special Threats Stand Alone Level IV In-Conjunction
PLATE THICKNESS	.75 in / 19 mm
BUOYANCY	None
CURVATURE	Multi Curve
MATERIALS	Ceramic Composite HAP
COVER	TPU
THREATS	Stand Alone: Multi-hit 5.56 x 45mm M193 Velocity 3200 – 3300 f/s 5.56 x 45mm M855 Velocity 3250-3300 f/s 7.62 x 39mm MSC Velocity 2330 – 2430 f/s 7.62 x 51mm M80 Velocity 2730 – 2830 f/s 7.62x54Rmm LPS Velocity 2750 – 2800 f/s Double hit: 7.62x39mm BZ API Velocity 2400-2450 f/s Single hit 7.62x54Rmm B32 API Velocity 2850 – 2900 f/s In-Conjunction: Single hit 7.62 x 63mm M2AP Velocity 2850 – 2910 f/s
PRICE	TYR-XHA4/S6/T \$1,495.95

TYR TACTICAL®

TYR-XHA4/SA/T HARD ARMOR PLATE



.89 in.
(23 mm)
PLATE THICKNESS



3.40 –
6.48 lbs.
WEIGHT

PLATE PART#	TYR-XHA4/SA/T TYR-XHA4/SA/T-66	
WEIGHTS	XSmall: 3.40 lbs. Small: 4.23 lbs. Medium: 4.92 lbs. Medium Long: 5.47 lbs. Large: 5.71 lbs. Xlarge: 6.48 lbs. 6x6: 1.6 lbs.	
DIMENSIONS	XSmall: 6.95" x 11.43" Small: 8.67" x 11.67" Medium: 9.4" x 12.4" Large: 10.17" x 13.17" XLarge: 10.9" x 13.9" 6x6: 6" x 6"	
TESTING STANDARD	Modified NIJ 0101.06	
PROTECTION LEVEL	Level IV	
CONFIGURATION	Stand Alone	
PLATE THICKNESS	.89 in / 23 mm	
BUOYANCY	None	
CURVATURE	Multi Curve	
MATERIALS	Ceramic Composite HAP	
COVER	TPU	
THREATS	Multi hit 5.56 x 45mm M193 Velocity 3200 – 3300 f/s 5.56 x 45mm M855 Velocity 3250 – 3300 f/s 7.62 x 39mm MSC Velocity 2330 – 2430 f/s 7.62 x 51mm M80 Velocity 2730 – 2830 f/s 7.62 x 54Rmm LPS Velocity 2750 – 2800 f/s Double hit 7.62 x 39mm BZ API Velocity 2400 – 2450 f/s Single hit 7.62 x 54Rmm B32 API Velocity 2850 – 2900 f/s 7.62 x 63mm M2AP Velocity 2850 – 2910 f/s	
PRICE	TYR-XHA4/SA/T	\$1,595.95
	TYR-XHA4/SA/T-66	\$595.95

TYR TACTICAL®

TYR-XHA4/SA/T-SWC HARD ARMOR PLATE

SHOOTER/SWIMMER CUT



.89 in.
(23 mm)

PLATE THICKNESS



4.31 –
5.55 lbs.

WEIGHT

PLATE PART#	TYR-XHA4/SA/T-SWC
WEIGHTS	Small: 4.31 lbs. Medium: 4.84 lbs. Large: 5.03 lbs. XLarge: 5.55 lbs.
DIMENSIONS	Small: 8.67" x 11.67" Medium: 9.4" x 12.4" Large: 10.17" x 13.17" XLarge: 10.9" x 13.9"
TESTING STANDARD	Modified NIJ 0101.06
PROTECTION LEVEL	Level IV
CONFIGURATION	Stand Alone
PLATE THICKNESS	.89 in / 23 mm
BUOYANCY	None
CURVATURE	Multi Curve
MATERIALS	Ceramic Composite HAP
COVER	TPU
THREATS	<p>Multi hit</p> <p>5.56 x 45mm M193 Velocity 3200 – 3300 f/s 5.56 x 45mm M855 Velocity 3250 – 3300 f/s 7.62 x 39mm MSC Velocity 2330 – 2430 f/s 7.62 x 51mm M80 Velocity 2730 – 2830 f/s 7.62x54Rmm LPS Velocity 2750 – 2800 f/s</p> <p>Double hit</p> <p>7.62x39mm BZ API Velocity 2400 – 2450 f/s</p> <p>Single hit</p> <p>7.62x54Rmm B32 API Velocity 2850 – 2900 f/s 7.62 x 63mm M2AP Velocity 2850 – 2910 f/s</p>
PRICE	TYR-XHA4/SA/T-SWC \$1,695.95

TYR TACTICAL®

HARD ARMOR PLATE COMPARISON CHART/SPECS

LEVEL III





PLATE PART#	TYR-XHA3/BD TYR-XHA3/BD-66	TYR-HA3/ST TYR-HA3/ST-66	TYR-XHA3/HST TYR-XHA3/HST-66	TYR-XHA3/HST-SWC
WEIGHTS	XSmall: 2.05 lbs. / 0.93 kg Small: 2.71 lbs. / 1.23 kg Medium: 3.24 lbs. / 1.47 kg Large: 3.64 lbs. / 1.65 kg XLarge: 4.26 lbs. / 1.93 kg 6x6: 1.06 lbs. / 0.48 kg	XSmall: 1.78 lbs. / 0.81 kg Small: 2.36 lbs. / 1.07 kg Medium: 2.82 lbs. / 1.28 kg MD4: 2.90 lbs. / 1.32 kg Large: 3.16 lbs. / 1.43 kg XLarge: 3.70 lbs. / 1.68 kg 6x6: .92 lbs. / 0.42 kg	XSmall: 1.52 lbs. / 0.68 kg Small: 1.90 lbs. / 0.86 kg Medium: 2.20 lbs. / 0.99 kg Large: 2.56 lbs. / 1.16 kg XLarge: 2.90 lbs. / 1.31 kg 6x6: .73 lbs. / 0.33 kg	Small: 1.87 lbs. / 0.84 kg Medium: 2.10 lbs. / 0.95 kg Large: 2.18 lbs. / 0.98 kg XLarge: 2.41 lbs. / 1.09 kg
DIMENSIONS	XSmall: 6.9" x 10.9" / 17.52 x 27.68 cm Small: 8.5" x 11.5" / 21.6 x 29.21 cm Medium: 9.3" x 12.3" / 23.62 x 31.24 cm Large: 10" x 13" / 25.4 x 33.02 cm XLarge: 10.9" x 13.8" / 27.69 x 35.05 cm 6x6: 6" x 6" / 15.24 x 15.24 cm	XSmall: 6.9" x 10.9" / 17.52 x 27.68 cm Small: 8.5" x 11.5" / 21.6 x 29.21 cm Medium: 9.3" x 12.3" / 23.62 x 31.24 cm Large: 10" x 13" / 25.4 x 33.02 cm XLarge: 10.9" x 13.8" / 27.69 x 35.05 cm 6x6: 6" x 6" / 15.24 x 15.24 cm	XSmall: 6.9" x 10.9" / 17.52 x 27.68 cm Small: 8.5" x 11.5" / 21.6 x 29.21 cm Medium: 9.3" x 12.3" / 23.62 x 31.24 cm Large: 10" x 13" / 25.4 x 33.02 cm XLarge: 10.9" x 13.8" / 27.69 x 35.05 cm	Small: 8.5" x 11.5" / 21.6 x 29.21 cm Medium: 9.3" x 12.3" / 23.62 x 31.24 cm Large: 10" x 13" / 25.4 x 33.02 cm XLarge: 10.9" x 13.8" / 27.69 x 35.05 cm
TESTING STANDARD	Certified NIJ 0101.06	Certified NIJ 0101.06	NIJ 0101.06	NIJ 0101.06
PROTECTION LEVEL	Level III	Level III	Level III	Level III
CONFIGURATION	Stand Alone	In-Conjunction with NFA3/10 or TXP3A	Stand Alone or In-Conjunction with PSA2/18	Stand Alone or In-Conjunction with PSA2/18
PLATE THICKNESS	1.05 in. / 27 mm	.82 in. / 20 mm	.59 in. / 15 mm	.59 in. / 15 mm
BUDYANCY	Positive	Positive	Positive	Positive
CURVATURE	Multi Curve 6x6: Single Curve	Multi Curve 6x6: Single Curve	Multi Curve	Multi Curve
MATERIALS	UHMWPE & Elastomeric Urethane Foam	UHMWPE & Elastomeric Urethane Foam	UHMWPE	UHMWPE
COVER	Black Polyurea	Black Polyurea	Black Polyurea	Black Polyurea
THREATS	5.56 x 45-mm, 56-grain M193 7.62 x 39-mm, 123-grain MSC 7.62 x 51-mm, 149-grain M80 FMJ	5.56 x 45-mm, 56-grain M193 7.62 x 39-mm, 123-grain MSC 7.62 x 51-mm, 149-grain M80 FMJ	Stand Alone 5.45 x 39-mm, 53-grain 7N6 5.56 x 45-mm, 55-grain M193 Ball 7.62 x 39-mm, 123-grain MSC In-Conjunction 7.62 x 51-mm, 149-grain M80 FMJ	Stand Alone 5.45 x 39-mm, 53-grain 7N6 5.56 x 45-mm, 55-grain M193 Ball 7.62 x 39-mm, 123-grain MSC In-Conjunction 7.62 x 51-mm, 149-grain M80 FMJ
PRICE	TYR-XHA3/BD \$457.95 TYR-XHA3/BD-66 \$149.95	TYR-HA3/ST \$995.95 TYR-HA3/ST-66 \$199.95	TYR-XHA3/HST \$1,195.95 TYR-XHA3/HST-66 \$395.95	TYR-XHA3/HST-SWC \$1,195.95

TYR TACTICAL®

HARD ARMOR PLATE COMPARISON CHART/SPECS

LEVEL III



PLATE PART#	TYR-XHA3/7A/T TYR-XHA3/7A/T-66	TYR-XHA3/1/T TYR-XHA3/1/T-66	TYR-XHA1192/T
WEIGHTS	X-Small: 2.60 lbs. / 1.18 kg Small: 3.31 lbs. / 1.50 kg Medium: 3.95 lbs. / 1.79 kg Large: 4.46 lbs. / 2.02 kg X-Large: 5.19 lbs. / 2.35 kg 6x6: 1.17 lbs. / 0.53 kg	XSmall: 2.43 lbs. / 1.10 kg Small: 3.08 lbs. / 1.40 kg Medium: 3.68 lbs. / 1.67 kg Large: 4.15 lbs. / 1.88 kg XLarge: 4.83 lbs. / 2.19 kg 6x6: 1.13 lbs. / 0.48 kg	XSmall: 2.68 lbs. / 1.22 kg Small: 3.33 lbs. / 1.51 kg Medium: 3.81 lbs. / 1.73 kg Large: 4.42 lbs. / 2.00 kg XLarge: 4.99 lbs. / 2.26 kg
DIMENSIONS	XSmall: 7.1" x 11.4" / 18.03 x 28.96 cm Small: 8.6" x 11.7" / 21.84 x 29.72 cm Medium: 9.5" x 12.5" / 24.13 x 31.75 cm Large: 10" x 13" / 25.4 x 33.02 cm XLarge: 10.9" x 13.8" / 27.69 x 35.05 cm 6x6: 6" x 6" / 15.24 x 15.24 cm	XSmall: 7.1" x 11.4" / 18.03 x 28.96 cm Small: 8.6" x 11.7" / 21.84 x 29.72 cm Medium: 9.5" x 12.5" / 24.13 x 31.75 cm Large: 10" x 13" / 25.4 x 33.02 cm XLarge: 10.9" x 13.8" / 27.69 x 35.05 cm 6x6: 6" x 6" / 15.24 x 15.24 cm	XSmall: 6.95" x 11.43" / 17.65 x 29.03 cm Small: 8.67" x 11.67" / 22.02 x 29.64 cm Medium: 9.4" x 12.4" / 23.88 x 31.5 cm Large: 10.17" x 13.17" / 25.83 x 33.45 cm XLarge: 10.9" x 13.9" / 27.69 x 35.31 cm
TESTING STANDARD	Certified NIJ 0101.06	Modified NIJ 0101.06	Modified NIJ 0101.06
PROTECTION LEVEL	Level III	Level III & Special Threats	Level III & Special Threats
CONFIGURATION	In-Conjunction with NFA3/10	In-Conjunction with NIJ Level II or above	In-Conjunction with NIJ Level II or above
PLATE THICKNESS	.89 in. / 23 mm	.61 in. / 15 mm	.56 in. / 14 mm
BUOYANCY	None	None	None
CURVATURE	Multi Curve 6x6: Single Curve	Multi Curve 6x6: Single Curve	Multi Curve
MATERIALS	Ceramic Composite HAP	Ceramic Composite HAP	Ceramic Composite HAP
COVER	TPU	TPU	TPU
THREATS	5.56 x 45-mm, 56-grain M193 5.56 x 45-mm, 62-grain M855 7.62 x 39-mm, 123-grain MSC 7.62 x 51-mm, 149-grain M80 FMJ	Multi-hit 5.45 x 39-mm, 53-grain MSC 7N6 5.56 x 45-mm, 55-grain M193 Ball 5.56 x 45-mm, 62-grain M855, SS109 7.62 x 39-mm, 123-grain PS Ball 7.62 x 51-mm, 149-grain M80 FMJ Single hit 7.62x54R-mm, 148-grain LPS	5.45 x 39-mm, 53-grain MSC 7N6 5.56 x 45-mm, 55-grain M193 Ball 5.56 x 45-mm, 62-grain M855 Ball A1 5.56 x 45-mm, 62-grain M855 Ball SS109 7.62 x 39-mm, 123-grain MSC 7.62 x 39-mm, API - BZ 7.62 x 54R-mm, 148-grain LPS 7.62 x 51-MM, 149-grain M80 FMJ
PRICE	TYR-XHA3/7A/T \$495.95 TYR-XHA3/7A/T-66 \$245.95	TYR-XHA3/1 \$624.95 TYR-XHA3/1-66 \$399.95	TYR-XHA1192/T \$1,095.95

TYR TACTICAL®







HARD ARMOR PLATE COMPARISON CHART/SPECS

LEVEL IV



PLATE PART#	TYR-XHA4/7-S/T	TYR-XHA4/S6/T	TYR-XHA4/SA/T TYR-XHA4/SA/T-66	TYR-XHA4/SA/T-SWC
WEIGHTS	XSmall: 4.09 lbs. / 1.86 kg Small: 5.15 lbs. / 2.34 kg Medium: 6.17 lbs. / 2.80 kg Large: 6.99 lbs. / 3.17 kg XLarge: 8.13 lbs. / 3.69 kg	XSmall: 3.25 lbs. / 1.47 kg Small: 4.05 lbs. / 1.83 kg Medium: 4.71 lbs. / 2.13 kg Large: 5.46 lbs. / 2.47 kg XLarge: 6.20 lbs. / 2.81 kg	XSmall: 3.40 lbs. / 1.54 kg Small: 4.23 lbs. / 1.91 kg Medium: 4.92 lbs. / 2.23 kg Medium Long: 5.47 lbs. / 2.48 kg Large: 5.71 lbs. / 2.59 kg XLarge: 6.48 lbs. / 2.93 kg 6x6: 1.6 lbs. / .73 kg	Small: 4.31 lbs. / 1.95 kg Medium: 4.84 lbs. / 2.19 kg Large: 5.03 lbs. / 2.28 kg XLarge: 5.55 lbs. / 2.51 kg
DIMENSIONS	XSmall: 7.1" x 11.4" / 18.03 x 28.96 cm Small: 8.6" x 11.7" / 21.84 x 29.72 cm Medium: 9.5" x 12.5" / 24.13 x 31.75 cm Large: 10" x 13" / 25.4 x 33.02 cm XLarge: 10.9" x 13.8" / 27.69 x 35.05 cm	XSmall: 6.95" x 11.43" / 17.65 x 29.03 cm Small: 8.67" x 11.67" / 22.02 x 29.64 cm Medium: 9.4" x 12.4" / 23.88 x 31.5 cm Large: 10.17" x 13.17" / 25.83 x 33.45 cm XLarge: 10.9" x 13.9" / 27.69 x 35.31 cm	XSmall: 6.95" x 11.43" / 17.65 x 29.03 cm Small: 8.67" x 11.67" / 22.02 x 29.64 cm Medium: 9.4" x 12.4" / 23.88 x 31.5 cm Large: 10.17" x 13.17" / 25.83 x 33.45 cm XLarge: 10.9" x 13.9" / 27.69 x 35.31 cm 6x6: 6" x 6" / 15.24 x 15.24 cm	Small: 8.67" x 11.67" / 22.02 x 29.64 cm Medium: 9.4" x 12.4" / 23.88 x 31.5 cm Large: 10.17" x 13.17" / 25.83 x 33.45 cm XLarge: 10.9" x 13.9" / 27.69 x 35.31 cm
TESTING STANDARD	Certified NIJ 0101.06	Modified NIJ 0101.06	Modified NIJ 0101.06	Modified NIJ 0101.06
PROTECTION LEVEL	Level IV	Level III & Special Threats Stand Alone Level IV In-Conjunction	Level IV	Level IV
CONFIGURATION	In-Conjunction with NFA3/10	Stand Alone for Level III+ / Special Threat In-Conjunction with PSA2/18 for Level IV	Stand Alone	Stand Alone
PLATE THICKNESS	1.00 in. / 25 mm	.78 in / 20 mm	.89 in / 23 mm	.89 in / 23 mm
BUOYANCY	None	None	None	None
CURVATURE	Multi Curve	Multi Curve	Multi Curve	Multi Curve
MATERIALS	Ceramic Composite HAP	Ceramic Composite HAP	Ceramic Composite HAP	Ceramic Composite HAP
COVER	TPU	TPU	TPU	TPU
THREATS	30.06, 166-grain M2 AP	Stand Alone: Multi-hit 5.56 x 45mm M193 Velocity 3200 – 3300 f/s 5.56 x 45mm M855 Velocity 3250 – 3300 f/s 7.62 x 39mm MSC Velocity 2330 – 2430 f/s 7.62 x 51mm M80 Velocity 2730 – 2830 f/s 7.62 x 54Rmm LPS Velocity 2750 – 2800 f/s Double hit: 7.62 x 39mm BZ API Velocity 2400-2450 f/s Single hit 7.62 x 54Rmm B32 API Velocity 2850 – 2900 f/s In-Conjunction: Single hit 7.62 x 63mm M2AP Velocity 2850 – 2910 f/s	Multi-hit 5.56 x 45mm M193 Velocity 3200 – 3300 f/s 5.56 x 45mm M855 Velocity 3250 – 3300 f/s 7.62 x 39mm MSC Velocity 2330 – 2430 f/s 7.62 x 51mm M80 Velocity 2730 – 2830 f/s 7.62 x 54Rmm LPS Velocity 2750 – 2800 f/s Double hit: 7.62 x 39mm BZ API Velocity 2400 – 2450 f/s Single hit 7.62 x 54Rmm B32 API Velocity 2850 – 2900 f/s 7.62 x 63mm M2AP Velocity 2850 – 2910 f/s	Multi-hit 5.56 x 45mm M193 Velocity 3200 – 3300 f/s 5.56 x 45mm M855 Velocity 3250 – 3300 f/s 7.62 x 39mm MSC Velocity 2330 – 2430 f/s 7.62 x 51mm M80 Velocity 2730 – 2830 f/s 7.62 x 54Rmm LPS Velocity 2750 – 2800 f/s Double hit: 7.62 x 39mm BZ API Velocity 2400 – 2450 f/s Single hit 7.62 x 54Rmm B32 API Velocity 2850 – 2900 f/s 7.62 x 63mm M2AP Velocity 2850 – 2910 f/s
PRICE	TYR-XHA4/7-S/T \$595.95	TYR-XHA4/S6/T \$1,495.95	TYR-XHA4/SA/T \$1,595.95 TYR-XHA4/SA/T-66 \$595.95	TYR-XHA4/SA/T-SWC \$1,695.95

NEW FAMILY OF SHIELDS

- XL  26" x 46"
- LG  25" x 41"
- MW  25" x 38"
- MD  23" x 37"
- SM  20" x 31"
- XS  17" x 26"



TYR
TACTICAL®

NEW FAMILY OF SHIELDS

NIJ 0108.01 (LEVELS IIIA, LEVEL III, & LEVEL III+)

ASTM E3141 (HG2, RF1, RF2)

THE EXTRA SMALL MULTI-LEVEL BALLISTIC SHIELD

MAXIMUM MOBILITY. ESSENTIAL PROTECTION.

FEATURES

- Compact size, extra small profile
- Ultra-light weight
- Maximum maneuverability for rapid movement
- Ergonomic molded handle for secure grip
- Ideal for dynamic situations that require speed and mobility
- Fits easily in the front seat of patrol vehicles
- Rapid deployment from driver or passenger side windows
- Operates where full-size shields are impractical
- Includes carry bag



X-Small
17" x 26"



NEW FAMILY OF SHIELDS

NIJ 0108.01 (LEVELS IIIA, LEVEL III, & LEVEL III+)
ASTM E3141 (HG2, RF1, RF2)

NFS NON-VIEWPORT



X-Small 17" x 26"		Small 20" x 31"		Medium 23" x 37"	
TYR-NFS/HG2-XS-NV	\$1,295.95	TYR-NFS/HG2-SM-NV	\$1,495.95	TYR-NFS/HG2-MD-NV	\$1,695.95
TYR-NFS/RF1-XS-NV	\$3,995.95	TYR-NFS/RF1-SM-NV	\$4,995.95	TYR-NFS/RF1-MD-NV	\$5,995.95
TYR-NFS/RF2-XS-NV	\$7,795.95	TYR-NFS/RF2-SM-NV	\$9,595.95	TYR-NFS/RF2-MD-NV	\$11,395.95



Medium Wide 25" x 38"		Large 25" x 41"		X-Large 26" x 46"	
TYR-NFS/HG2-MW-NV	\$1,759.95	TYR-NFS/HG2-LG-NV	\$2,095.95	TYR-NFS/HG2-XL-NV	\$2,195.95
TYR-NFS/RF1-MW-NV	\$6,295.95	TYR-NFS/RF1-LG-NV	\$7,695.95	TYR-NFS/RF1-XL-NV	\$7,995.95
TYR-NFS/RF2-MW-NV	\$11,595.95	TYR-NFS/RF2-LG-NV	\$15,295.95	TYR-NFS/RF2-XL-NV	\$15,495.95

FEATURES

- Available in 6 shield sizes
- Forearm pad
- Adjustable forearm strap
- Carry bag
- Ergonomic molded handle for secure grip
- Corner protection
- Patented Ballistic Ridge®

NEW FAMILY OF SHIELDS

NIJ 0108.01 (LEVELS IIIA, LEVEL III, & LEVEL III+)

NFS VIEWPORT



Medium 23" x 37"		Medium Wide 25" x 38"		Large 25" x 41"		X-Large 26" x 46"	
TYR-NFS/HG2-MD-VP	\$3,395.95	TYR-NFS/HG2-MW-VP	\$3,495.95	TYR-NFS/HG2-LG-VP	\$3,795.95	TYR-NFS/HG2-XL-VP	\$3,995.95
TYR-NFS/RF1-MD-VP	\$7,595.95	TYR-NFS/RF1-MW-VP	\$7,695.95	TYR-NFS/RF1-LG-VP	\$9,595.95	TYR-NFS/RF1-XL-VP	\$9,995.95
TYR-NFS/RF2-MD-VP	\$13,495.95	TYR-NFS/RF2-MW-VP	\$13,695.95	TYR-NFS/RF2-LG-VP	\$16,995.95	TYR-NFS/RF2-XL-VP	\$17,295.95

FEATURES

- Available in 4 shield sizes
- Forearm pad
- Adjustable forearm strap
- Ergonomic molded handle for secure grip
- Corner protection
- Patented Ballistic Ridge®
- Viewport protector
- Carry bag



TYR TACTICAL® NFS ARMOR COMPARISON CHART TYR-NFS/HG2

LEVEL IIIA & HG2



SHIELD	NON-VIEWPORT		VIEWPORT	
WEIGHT	XSmall: 5.48 lbs. Small: 7.17 lbs. Medium: 8.58 lbs. Large: 10.14 lbs. XLarge: 10.67 lbs.	Medium Wide: 9.38 lbs.	Medium: 12.46 lbs. Large: 14.02 lbs. XLarge: 15.01 lbs.	Medium Wide: 13.68 lbs.
DIMENSION	XSmall: 17" x 26" Small: 20" x 31" Medium: 23" x 37" Large: 25" x 41" XLarge: 26" x 46"	Medium Wide: 25" x 38"	Medium: 23" x 37" Large: 25" x 41" XLarge: 26" x 46"	Medium Wide: 25" x 38"
TESTING STANDARD	NIJ 0108.01 ASTM E3141	NIJ 0108.01 ASTM E3141	NIJ 0108.01	NIJ 0108.01
PROTECTION LEVEL	Level IIIA HG2	Level IIIA HG2	Level IIIA	Level IIIA
CONFIGURATION	Stand Alone	Stand Alone	Stand Alone	Stand Alone
PLATE THICKNESS	.38 in. / 10 mm	.38 in. / 10 mm	.38 in. / 10 mm	.38 in. / 10 mm
CURVATURE	Single Curve	Single Curve	Single Curve	Single Curve
MATERIALS	UHMWPE	UHMWPE	UHMWPE	UHMWPE
COVER	Black Polyurea	Black Polyurea	Black Polyurea	Black Polyurea
THREATS	9mm Luger FMJ RN .357 Mag JSP .44 Mag JHP 12 Guage 1-OZ SLUG		9mm Luger FMJ RN .357 Mag JSP .44 Mag JHP 12 Guage 1-OZ SLUG	

TYR TACTICAL® NFS ARMOR COMPARISON CHART TYR-NFS/RF1

LEVEL III & RF1



SHIELD	NON-VIEWPORT		VIEWPORT	
WEIGHT	XSmall: 9.07 lbs. Small: 12.06 lbs. Medium: 15.31 lbs. Large: 17.96 lbs. XLarge: 20.73 lbs.	Medium Wide: 17.79 lbs.	Medium: 22.34 lbs. Large: 25.12 lbs. XLarge: 27.48 lbs.	Medium Wide: 24.85 lbs.
DIMENSION	XSmall: 17" x 26" Small: 20" x 31" Medium: 23" x 37" Large: 25" x 41" XLarge: 26" x 46"	Medium Wide: 25" x 38"	Medium: 23" x 37" Large: 25" x 41" XLarge: 26" x 46"	Medium Wide: 25" x 38"
TESTING STANDARD	NIJ 0108.01 ASTM E3141	NIJ 0108.01 ASTM E3141	NIJ 0108.01	NIJ 0108.01
PROTECTION LEVEL	Level III RF1	Level III RF1	Level III	Level III
CONFIGURATION	Stand Alone	Stand Alone	Stand Alone	Stand Alone
PLATE THICKNESS	.74 in. / 19 mm	.74 in. / 19 mm	.74 in. / 19 mm	.74 in. / 19 mm
CURVATURE	Single Curve	Single Curve	Single Curve	Single Curve
MATERIALS	UHMWPE	UHMWPE	UHMWPE	UHMWPE
COVER	Black Polyurea	Black Polyurea	Black Polyurea	Black Polyurea
THREATS	5.56 x 45-mm, 55-grain M193 Ball 7.62 x 39-mm, 123-grain PS Ball 7.62 x 51-mm, 149-grain M80 FMJ		5.56 x 45-mm, 55-grain M193 Ball 7.62 x 39-mm, 123-grain PS Ball 7.62 x 51-mm, 149-grain M80 FMJ	

TYR TACTICAL® NFS ARMOR COMPARISON CHART TYR-NFS/RF2

LEVEL III+ & RF2



SHIELD	NON-VIEWPORT		VIEWPORT	
WEIGHT	XSmall: 14.82 lbs. Small: 20.72 lbs. Medium: 26.98 lbs. Large: 32.45 lbs. XLarge: 37.29 lbs.	Medium Wide: 31.11 lbs.	Medium: 33.00 lbs. Large: 38.46 lbs. XLarge: 45.04 lbs.	Medium Wide: 37.12 lbs.
DIMENSION	XSmall: 17" x 26" Small: 20" x 31" Medium: 23" x 37" Large: 25" x 41" XLarge: 26" x 46"	Medium Wide: 25" x 38"	Medium: 23" x 37" Large: 25" x 41" XLarge: 26" x 46"	Medium Wide: 25" x 38"
TESTING STANDARD	NIJ 0108.01 ASTM E3141	NIJ 0108.01 ASTM E3141	NIJ 0108.01	NIJ 0108.01
PROTECTION LEVEL	Level III+ RF2	Level III+ RF2	Level III+	Level III+
CONFIGURATION	Stand Alone	Stand Alone	Stand Alone	Stand Alone
PLATE THICKNESS	1.38 in. / 35 mm	1.38 in. / 35 mm	1.38 in. / 35 mm	1.38 in. / 35 mm
CURVATURE	Single Curve	Single Curve	Single Curve	Single Curve
MATERIALS	UHMWPE	UHMWPE	UHMWPE	UHMWPE
COVER	Black Polyurea	Black Polyurea	Black Polyurea	Black Polyurea
THREATS	5.56 x 45-mm, 55-grain M193 Ball 7.62 x 39-mm, 123-grain PS Ball 7.62 x 51-mm, 149-grain M80 FMJ 5.56 x 45 -mm, 62-grain M855		5.56 x 45-mm, 55-grain M193 Ball 7.62 x 39-mm, 123-grain PS Ball 7.62 x 51-mm, 149-grain M80 FMJ 5.56 x 45 -mm, 62-grain M855	

TYR TACTICAL®

LEVEL IIIA RAPID RESPONSE BALLISTIC SHIELDS

18" X 32" CQB NON-VIEWPORT



FEATURES:

- Forearm pad
- Carry bag
- Fixed shield handle
- Patented Ballistic Ridge®

LEVEL IIIA

The TYR Tactical® 18" x 32" CQB3A Rapid Response Ballistic Shield is built to work as a stand-alone Level IIIA shield

SPECIFICATIONS:

Weight: 9.5 lbs.
Dimension: 18" x 32"
Testing Standard: NIJ 0108.01
Protection Level: Level IIIA & Special Threats
Configuration: Stand Alone
Plate Thickness: .28 in. / 7 mm
Buoyancy: N/A
Curvature: Single Curve
Materials: UHMWPE
Cover: Black Polyurea
Threats: Complete Testing Data on Pg. 40-43

TYR-RBS/CQB3A-NV
\$1,995.95

18" X 32" CQB VIEWPORT



FEATURES:

- Forearm pad
- Carry bag
- Fixed shield handle
- Patented Ballistic Ridge®

LEVEL IIIA

The TYR Tactical® 18" x 32" CQB3A Rapid Response Ballistic Shield with Viewport is built to work as a stand-alone Level IIIA shield

SPECIFICATIONS:

Weight: 12.6 lbs.
Dimension: 18" x 32" (Viewport: 9.75" x 4")
Testing Standard: NIJ 0108.01
Protection Level: Level IIIA & Special Threats
Configuration: Stand Alone
Plate Thickness: .28 in. / 7 mm
Buoyancy: N/A
Curvature: Single Curve
Materials: UHMWPE
Cover: Black Polyurea
Threats: Complete Testing Data on Pg. Pg. 40-43

TYR-RBS/CQB3A-VP
\$3,195.95

TYR TACTICAL®

LEVEL IIIA RAPID RESPONSE BALLISTIC SHIELDS

24" X 36" MT NON-VIEWPORT



FEATURES:

- Forearm pad
- Carry bag
- Fixed shield handle
- Patented Ballistic Ridge®

LEVEL IIIA

The TYR Tactical® 24" x 36" MT3A Rapid Response Ballistic Shield is built to work as a stand-alone Level IIIA shield

SPECIFICATIONS:

Weight: 12.8 lbs.
Dimension: 24" x 36"
Testing Standard: NIJ 0108.01
Protection Level: Level IIIA & Special Threats
Configuration: Stand Alone
Plate Thickness: .28 in. / 7 mm
Buoyancy: N/A
Curvature: Single Curve
Materials: UHMWPE
Cover: Black Polyurea
Threats: Complete Testing Data on Pg. 40-43

TYR-RBS/MT3A-NV
\$2,195.95

24" X 36" MT VIEWPORT



FEATURES:

- Forearm pad
- Carry bag
- Fixed shield handle
- Patented Ballistic Ridge®

LEVEL IIIA

The TYR Tactical® 24" x 36" MT3A Rapid Response Ballistic Shield with Viewport is built to work as a stand-alone Level IIIA shield

SPECIFICATIONS:

Weight: 15.5 lbs.
Dimension: 24" x 36" (Viewport: 9.75" x 4")
Testing Standard: NIJ 0108.01
Protection Level: Level IIIA & Special Threats
Configuration: Stand Alone
Plate Thickness: .28 in. / 7 mm
Buoyancy: N/A
Curvature: Single Curve
Materials: UHMWPE
Cover: Black Polyurea
Threats: Complete Testing Data on Pg. 40-43

TYR-RBS/MT3A-VP
\$3,995.95

TYR TACTICAL®

LEVEL III RAPID RESPONSE BALLISTIC SHIELDS

18" X 32" CQB NON-VIEWPORT



FEATURES:

- Forearm pad
- Carry bag
- Fixed shield handle
- Patented Ballistic Ridge®

LEVEL III

The TYR Tactical® 18" x 32" CQB3 Rapid Response Ballistic Shield is built to work as a stand-alone Level III shield

SPECIFICATIONS:

Weight: 16.3 lbs.
Dimension: 18" x 32"
Testing Standard: NIJ 0108.01
Protection Level: Level III & Special Threats
Configuration: Stand Alone
Plate Thickness: .56 in. / 14 mm
Buoyancy: N/A
Curvature: Single Curve
Materials: UHMWPE
Cover: Black Polyurea
Threats: Complete Testing Data on Pg. 40-43

TYR-RBS/CQB3-NV
\$5,295.95

18" X 32" CQB VIEWPORT



FEATURES:

- Forearm pad
- Carry bag
- Fixed shield handle
- Patented Ballistic Ridge®

LEVEL III

The TYR Tactical® 18" x 32" CQB3 Rapid Response Ballistic Shield with Viewport is built to work as a stand-alone Level III shield

SPECIFICATIONS:

Weight: 22.4 lbs.
Dimension: 18" x 32" (Viewport: 9.75" x 4")
Testing Standard: NIJ 0108.01
Protection Level: Level III & Special Threats
Configuration: Stand Alone
Plate Thickness: .56 in. / 14 mm
Buoyancy: N/A
Curvature: Single Curve
Materials: UHMWPE
Cover: Black Polyurea
Threats: Complete Testing Data on Pg. 40-43

TYR-RBS/CQB3-VP
\$6,995.95

TYR TACTICAL®

LEVEL III RAPID RESPONSE BALLISTIC SHIELDS

24" X 36" MT NON-VIEWPORT



FEATURES:

- Forearm pad
- Carry bag
- Fixed shield handle
- Patented Ballistic Ridge®

LEVEL III

The TYR Tactical® 24" x 36" MT3 Rapid Response Ballistic Shield is built to work as a stand-alone Level III shield

SPECIFICATIONS:

- Weight:** 20.5 lbs.
Dimension: 24" x 36"
Testing Standard: NIJ 0108.01
Protection Level: Level III & Special Threats
Configuration: Stand Alone
Plate Thickness: .56 in. / 14 mm
Buoyancy: N/A
Curvature: Single Curve
Materials: UHMWPE
Cover: Black Polyurea
Threats: Complete Testing Data on Pg. 40-43

TYR-RBS/MT3-NV
\$5,595.95

24" X 36" MT VIEWPORT



FEATURES:

- Forearm pad
- Carry bag
- Fixed shield handle
- Patented Ballistic Ridge®

LEVEL III

The TYR Tactical® 24" x 36" MT3 Rapid Response Ballistic Shield with Viewport is built to work as a stand-alone Level III shield

SPECIFICATIONS:

- Weight:** 27.9 lbs.
Dimension: 24" x 36" (Viewport: 9.75" x 4")
Testing Standard: NIJ 0108.01
Protection Level: Level III & Special Threats
Configuration: Stand Alone
Plate Thickness: .56 in. / 14 mm
Buoyancy: N/A
Curvature: Single Curve
Materials: UHMWPE
Cover: Black Polyurea
Threats: Complete Testing Data on Pg. 40-43

TYR-RBS/MT3-VP
\$7,295.95

TYR TACTICAL®

LEVEL III PLUS (M855) RAPID RESPONSE BALLISTIC SHIELDS

18" X 32" CQB3+SMU NON-VIEWPORT



FEATURES:

- Forearm pad
- Carry bag
- Fixed shield handle
- Patented Ballistic Ridge®
- Placard Location
- Nylon Shield Cover with Ballistic Vein®
- Patent Pending shield assembly design for high performance

LEVEL III PLUS (M855)

The TYR Tactical® 18" x 24" Rapid Response CQB3+SMU Ballistic Shield is built to work as a stand-alone Level III Plus shield

SPECIFICATIONS:

Weight: 26 lbs.
Dimension: 18" x 32"
Testing Standard: NIJ 0108.01
Protection Level: Level III & Special Threats
Configuration: Stand Alone
Plate Thickness: .67 in. / 17 mm
Curvature: Single Curve
Materials: UHMWPE & Hybrid Ceramic
Cover: Black Polyurea
Threats: Complete Testing Data on Pg. 40-43

TYR-RBS/CQB3+SMU-NV
\$6,995.95

18" X 32" CQB3+SMU VIEWPORT



FEATURES:

- Forearm pad
- Carry bag
- Fixed shield handle
- Patented Ballistic Ridge®
- Placard Location
- Nylon Shield Cover with Ballistic Vein®
- Patent Pending shield assembly design for high performance

LEVEL III PLUS (M855)

The TYR Tactical® 18" x 24" Rapid Response CQB+SMU Ballistic Shield, Viewport is built to work as a stand-alone Level III Plus shield

SPECIFICATIONS:

Weight: 31.1 lbs.
Dimension: 18" x 32" (Viewport: 9.75" x 4")
Testing Standard: NIJ 0108.01
Protection Level: Level III & Special Threats
Configuration: Stand Alone
Plate Thickness: .67 in. / 17 mm
Curvature: Single Curve
Materials: UHMWPE & Hybrid Ceramic
Cover: Black Polyurea
Threats: Complete Testing Data on Pg. 40-43

TYR-RBS/CQB3+SMU-VP
\$8,995.95

TYR TACTICAL® RAPID RESPONSE BALLISTIC SHIELD

PROVEN PROTECTION & STOPPING POWER
TO KEEP YOU MOVING FORWARD

MT3+ RAPID RESPONSE LEVEL III+ SHIELD

- Shot with 100 rounds of 5.56 x 45mm, 62-grain M855



TYR TACTICAL®

LEVEL III PLUS (M855) RAPID RESPONSE BALLISTIC SHIELDS

24" X 36" MT NON-VIEWPORT



FEATURES:

- Forearm pad
- Carry bag
- Fixed shield handle
- Patented Ballistic Ridge®
- Placard Location
- Nylon Shield Cover with Ballistic Vein®
- Patent Pending shield assembly design for high performance

LEVEL III PLUS (M855)

The TYR Tactical® 24" x 36" MT3 Plus (M855) Rapid Response Ballistic Shield is built to work as a stand-alone Level III plus shield

SPECIFICATIONS:

- Weight:** 38.5 lbs.
Dimension: 24" x 36"
Testing Standard: NIJ 0108.01
Protection Level: Level III & Special Threats
Configuration: Stand Alone
Plate Thickness: .67 in. / 17 mm
Curvature: Single Curve
Materials: UHMWPE & Hybrid Ceramics
Cover: Black Polyurea
Threats: Complete Testing Data on Pg. 40-43

TYR-RBS/MT3+SMU-NV
\$7,595.95

24" X 36" MT VIEWPORT



FEATURES:

- Forearm pad
- Carry bag
- Fixed shield handle
- Patented Ballistic Ridge®
- Placard Location
- Nylon Shield Cover with Ballistic Vein®
- Patent Pending shield assembly design for high performance

LEVEL III PLUS (M855)

The TYR Tactical® 24" x 36" MT3 Plus (M855) Rapid Response Ballistic Shield with Viewport is built to work as a stand-alone Level III plus shield

SPECIFICATIONS:

- Weight:** 43.8 lbs.
Dimension: 24" x 36" (Viewport: 9.75" x 4")
Testing Standard: NIJ 0108.01
Protection Level: Level III & Special Threats
Configuration: Stand Alone
Plate Thickness: .67 in. / 17 mm
Curvature: Single Curve
Materials: UHMWPE & Hybrid Ceramics
Cover: Black Polyurea
Threats: Complete Testing Data on Pg. 40-43

TYR-RBS/MT3+SMU-VP
\$9,595.95

TYR TACTICAL®

LEVEL IV RAPID RESPONSE BALLISTIC SHIELDS

24" X 36" MT NON-VIEWPORT



LEVEL IV

The TYR Tactical® 24" x 36" MT4 Rapid Response Ballistic Shield is built to work as a stand-alone Level IV shield

SPECIFICATIONS:

- Weight:** 46.9 lbs.
- Dimension:** 24" x 36"
- Testing Standard:** NIJ 0108.01
- Protection Level:** Level IV & Special Threats
- Configuration:** Stand Alone
- Plate Thickness:** .93 in. / 24 mm
- Buoyancy:** N/A
- Curvature:** Single Curve
- Materials:** UHMWPE & Hybrid Ceramics
- Cover:** Black Polyurea
- Threats:** Complete Testing Data on Pg. 40-43

FEATURES:

- Forearm pad
- Carry bag
- Fixed shield handle
- Shock Absorption Ballistic Shield Vein®
 - 5" foam
 - High-strength poly
- RBS Shield Cover
- Patented Ballistic Ridge®

TYR-RBS/MT4-NV
\$28,995.95

TYR TACTICAL®

PATENTED BALLISTIC SHIELD DOLLY



DOUBLE SHIELD:

The three-wheel configuration allows you to run the system as a ballistic barricade with 360° movement. Two handle heights allow the user to push the dolly in a standing or bowed position. The system can also tilt forward transforming it into a free-standing ballistic barricade.

11 PROVIDES BOTH LOAD CARRIAGE & UNMATCHED BALLISTIC PROTECTION. 11

11 SYSTEM DEPLOYS IN 90 SECONDS OR LESS 11



SINGLE SHIELD:

Provides a ballistic barricade in the tilt forward position. It also functions as a load carriage dolly for Broco O² Cylinders as well as mission specific MOLLE panels (sold separately).

TYR TACTICAL®

PATENTED BALLISTIC SHIELD DOLLY

TYR TACTICAL® PATENTED BALLISTIC SHIELD DOLLY - LEVEL III

ARMOR SPECIFICATIONS:

- Weight:** 35.4 lbs.
- Testing Standard:** NIJ 0108.01
- Protection Level:** Level III & Special Threats
- Plate Thickness:** .56 in. / 14.22 mm
- Materials:** UHMWPE
- Cover:** Black Polyurea
- Threats:** 5.56 x 45-mm, 55-grain M193 Ball
7.62 x 39-mm, 123-grain PS Ball
7.62 x 51-mm, 149-grain M80 FMJ
7.62 x 54R-mm, 148-grain LPS (2550 FPS)

TYR-RBS/BSD2-LV3
\$5,495.95

TYR TACTICAL® PATENTED BALLISTIC SHIELD DOLLY - LEVEL III+

ARMOR SPECIFICATIONS:

- Weight:** 37.5 lbs.
- Testing Standard:** NIJ 0108.01
- Protection Level:** Level III Plus Special Threats
- Plate Thickness:** 1.10 in. / 27.94 mm
- Materials:** UHMWPE & Hybrid Ceramics
- Cover:** Black Polyurea
- Threats:** 5.56 x 45-mm, 55-grain M193 Ball
7.62 x 39-mm, 123-grain PS Ball
7.62 x 51-mm, 149-grain M80 FMJ
7.62 x 54R-mm, 148-grain LPS
5.56 x 45 -mm, 62-grain M855 (2550 FPS)

TYR-RBS/BSD2-LV3PLUS-ORW
\$6,795.95

FEATURES & SPECIFICATIONS:

CONSTRUCTION

- Constructed out of high-strength, lightweight aluminum
- Two rubberized dolly handles
- Padded shield rest
- Center armor panel reinforces the connection area where the upper & lower shields meet
- Matte black powder coat finish

BALLISTIC COVERAGE

- Center armor panel covers the ballistic gap on both sides of the dolly
- Bolt holes on the armor panel are offset from the ballistic gap to reduce the possibility of penetration

FRAME ADJUSTABILITY

- Telescoping frame to accommodate up to two shields
- Telescoping, pull pin, shield handle bracket for multiple shield sizes

WHEEL CONFIGURATION

- Removable rear wheel
- Two-wheel configuration allows for 360° movement
- Dolly is self-supported in the two-wheel configuration by resting on the lower shield
- Three removable heavy duty wheels



Telescoping frame & Shield Clamps accommodate up to two shields (sold separately)

TYR TACTICAL® RBS MISSION SPECIFIC MOLLE PANEL

The TYR Tactical® RBS Mission Specific MOLLE Panel attaches to the patented Ballistic Shield Dolly System via 1" buckles

FEATURES & SPECIFICATIONS:

- PALS webbing for MOLLE attachment
- Patented Ballistic Vein® adds additional structural integrity to the platform
- 500 denier Cordura®

TYR-RBS/MP-010
\$149.95



TYR TACTICAL®

SHIELD LOAD CARRIAGE SYSTEM - SLCS



FIGURE	DESCRIPTION	ITEM #	PRICE
A1	TYR Tactical® Single Point Dual Shoulder Sling, Non-Viewport Shield	TYR-SLCS-DS-NV	\$49.95
A2	TYR Tactical® Single Point Dual Shoulder Sling, Viewport Shield	TYR-SLCS-DS-VP	\$49.95
B	TYR Tactical® Combat Suspenders	TYR-SUS001	\$54.95
C	TYR Tactical® Patent Pending SLCS Metal Stays	TYR-SLCS-STY	\$295.95
D	TYR Tactical® Base Belt-D with 2" Cobra Buckle	TYR-DBB002	\$112.95
E	TYR Tactical® SLCS Belt	TYR-BKBLB-SLCS-NFA2/DK TYR-BKBLB-SLCS-NFA2/10 TYR-BKBLB-SLCS-TXP3A TYR-BKBLB-SLCS-NFA3/10	\$1,195.95 \$1,295.95 \$1,195.95 \$1,395.95
F1	TYR Tactical® SLCS Retention Strap Adapter Two with Loop	TYR-RSADPTR-NV	\$23.95
F2	TYR Tactical® SLCS Retention Strap Adapter Two Webbing Straps	TYR-RSADPTR-VP	\$23.95
G	TYR Tactical® Shield Handle Cover	TYR-SHC	\$19.95


TYR TACTICAL®

SHIELD LOAD CARRIAGE SYSTEM




TYR TACTICAL®

SHIELD LOAD CARRIAGE SYSTEM GUNFIGHTER™ BELT SIZING



Measure over your clothing from inside one hip bone to inside the other (FIGURE A). The ends of the belt should leave a **6" GAP** in the front of your waistline (FIGURE B). Once you have that total length, compare it to the chart below for belt sizing. If you desire a closer fit then simply measure leaving only a **3" GAP** to account for the Cobra® Buckle.

TOTAL LENGTH OF THE BELT BELOW REFLECTS MEASUREMENTS FROM END-TO-END, **NOT PANT SIZES.**



TYR-BKBLB-SLCS

SMALL 26"	MEDIUM 30"	LARGE 34"	XLARGE 38"	2XLARGE 42"
---------------------	----------------------	---------------------	----------------------	-----------------------

SHIELD LOAD CARRIAGE SYSTEM ARM SIZING - HEIGHT CHART					
ARM SIZE	HOLE	HEIGHT	ARM SIZE	HOLE	HEIGHT
<i>Regular</i>	1	6'4"+	<i>T-Rex</i>	1	5'8"-5'10"
	2	6'2" - 6'4"		2	5'6"-5'8"
	3	6'0" - 6'2"		3	5'4"-5'6"
	4	5'10" - 6'0"		4	- 5'4"



TYR TACTICAL®

SHIELD ACCESSORIES



TYR TACTICAL® REMOVABLE QUICK RELEASE SHIELD SUPPORT SYSTEM

The TYR Tactical® Removable Quick Release Shield Support System attaches to the shield at the molded handle with a lower shield support attachment to secure the shield and distribute weight.

FEATURES & SPECIFICATIONS:

- Yoke load levelers adjust the straps vertically which assists in reducing fatigue
- H-harness design
- Promotes weight distribution and blood flow
- 1.5", Type IV webbing w/ breaking strength of 1,500 lbs. / 680 kg
- Single hand shield cut-away quick release
- Secondary release via lateral buckles
- Removable and adjustable
- Can be stored on the shield and easily deployed
- Shoulder padding for comfort



TYR-RBS/QRSS

\$199.95



TYR TACTICAL®

SHIELD DIGITAL VIEWPORT



TYR TACTICAL® SHIELD DIGITAL VIEWPORT

CAMERA CAPABILITIES:

- Action Camera with mounting case: Wt. 0.17 lbs
- Lens Filter Cap:
 - Abrasion and dust-resistant glass with an anti-fingerprint and anti-oil/water coating
 - Reduces lens glare allowing you to shoot in bright conditions
- 2 Megapixels
- Maximum video frame rate: Up to 30 fps
- Video Resolution: 1080p
- Aspect Ratio: 65 HFOV degree
- Stream Time: 4 Hours

TABLET CAPABILITIES:

- Tablet with Mounting Case: Wt. 2.0 lbs.
- Smart Tablet with Windows OS
- 8" Gorilla Glass Touchscreen
- Front and Rear Camera
- Battery: Removable 7.4 V/5000 mAh
- Internal Memory: 4 GB RAM
- Micro SD slot
- WiFi: a/b/g/n/ac
- USB 3.0
- Bluetooth 4.2

TYR-RBS/DVP-002
\$2,935.95

SYSTEM COMPONENTS:

- A.** Action Camera & Mounting Case
- B.** Mounting Velcro® for Action Camera
- C.** Smart Tablet & Mounting Case
- D.** Universal Pouch (Sold Separately)



TYR TACTICAL®

SHIELD ACCESSORIES



Shield Sold Separately



TYR TACTICAL® SHIELD LIGHT


The TYR Tactical® Shield Light is designed to fit on our CQB and MT Shield Systems. The adjustable bracket clamps to the top or side of the shield and can be easily removed.

TYR-RBS/SHIELDLIGHT-BK
\$595.95

FEATURES & SPECIFICATIONS:

Power Source: Two 18650-3350 Rechargeable Batteries	Power Source: Four 123 Batteries
Battery Life: 4+ hours on 15" & 30" spread	Battery Life: 2+ hours on 15" spread & 2 hours on 30" spread
Battery mAh: 3350	Battery mAh: 1,500
Battery Voltage: 3.7	Battery Voltage: 3
Battery Charging Voltage: 4.2	Battery Charging Voltage: N/A
Wt: 1.6 lbs.	Wt: 1.6 lbs.
Dim: 9" W x 4" H	Dim: 9" W x 4" H
Light Source Dim: 7.5" W x 2" H	Light Source Dim: 7.5" W x 2" H

The Shield Light System has two programmed degrees of light:



Power Pressure Switch

Modes: Full Bright, Half Bright, Strobe & Off

TYR TACTICAL® RAPID RESPONSE BALLISTIC SHIELD ARMOR COMPARISON CHART

LEVEL IIIA



SHIELD PART#	TYR-RBS/CQB3A-NV	TYR-RBS/CQB3A-VP	TYR-RBS/MT3A-NV	TYR-RBS/MT3A-VP
WEIGHT	9.5 lbs.	12.6 lbs.	12.8 lbs.	15.5 lbs.
DIMENSION	18" x 32"	18" x 32" Viewport: 9.75" x 4"	24" x 36"	24" x 36" Viewport: 9.75" x 4"
TESTING STANDARD	NIJ 0108.01	NIJ 0108.01	NIJ 0108.01	NIJ 0108.01
PROTECTION LEVEL	Level IIIA & Special Threats	Level IIIA & Special Threats	Level IIIA & Special Threats	Level IIIA & Special Threats
CONFIGURATION	Stand Alone	Stand Alone	Stand Alone	Stand Alone
PLATE THICKNESS	.28 in. / 7 mm	.28 in. / 7 mm	.28 in. / 7 mm	.28 in. / 7 mm
CURVATURE	Single Curve	Single Curve	Single Curve	Single Curve
MATERIALS	UHMWPE	UHMWPE	UHMWPE	UHMWPE
COVER	Black Polyurea	Black Polyurea	Black Polyurea	Black Polyurea
THREATS	9-mm, 127-grain SXT 9-mm, Fiocchi, 115-grain FMJ 9-mm, 124-grain FMJ 5.7 X 28-mm, 27-grain SS195 LFHP 5.7 x 28-mm, 28-grain SS192 5.7 x 28-mm, 40-grain SS197SR .40-cal., 95-grain S&W HP .357 SIG, 115-grain JHP .357-cal, 125-grain SIG FMJ FN .357-cal, 125-grain SIG GDHP 7.62 x 25-mm, 85-grain TOKAREV FMJ .44-mag, 240-grain SWCGC 12 GA 1-oz slug	9-mm, 127-grain SXT 9-mm, Fiocchi, 115-grain FMJ 9-mm, 124-grain FMJ 5.7 X 28-mm, 27-grain SS195 LFHP 5.7 x 28-mm, 28-grain SS192 5.7 x 28-mm, 40-grain SS197SR .40-cal., 95-grain S&W HP .357 SIG, 115-grain JHP .357-cal, 125-grain SIG FMJ FN .357-cal, 125-grain SIG GDHP 7.62 x 25-mm, 85-grain TOKAREV FMJ .44-mag, 240-grain SWCGC 12 GA 1-oz slug	9-mm, 127-grain SXT 9-mm, Fiocchi, 115-grain FMJ 9-mm, 124-grain FMJ 5.7 X 28-mm, 27-grain SS195 LFHP 5.7 x 28-mm, 28-grain SS192 5.7 x 28-mm, 40-grain SS197SR .40-cal., 95-grain S&W HP .357 SIG, 115-grain JHP .357-cal, 125-grain SIG FMJ FN .357-cal, 125-grain SIG GDHP 7.62 x 25-mm, 85-grain TOKAREV FMJ .44-mag, 240-grain SWCGC 12 GA 1-oz slug	9-mm, 127-grain SXT 9-mm, Fiocchi, 115-grain FMJ 9-mm, 124-grain FMJ 5.7 X 28-mm, 27-grain SS195 LFHP 5.7 x 28-mm, 28-grain SS192 5.7 x 28-mm, 40-grain SS197SR .40-cal., 95-grain S&W HP .357 SIG, 115-grain JHP .357-cal, 125-grain SIG FMJ FN .357-cal, 125-grain SIG GDHP 7.62 x 25-mm, 85-grain TOKAREV FMJ .44-mag, 240-grain SWCGC 12 GA 1-oz slug
PRICE	\$1,995.95	\$3,195.95	\$2,195.95	\$3,995.95

TYR TACTICAL® RAPID RESPONSE BALLISTIC SHIELD ARMOR COMPARISON CHART

LEVEL III



SHIELD PART#	TYR-RBS/CQB3-NV	TYR-RBS/CQB3-VP	TYR-RBS/MT3-NV	TYR-RBS/MT3-VP
WEIGHT	16.3 lbs.	22.4 lbs.	20.5 lbs.	27.9 lbs.
DIMENSION	18" x 32"	18" x 32" Viewport: 9.75" x 4"	24" x 36"	24" x 36" Viewport: 9.75" x 4"
TESTING STANDARD	NIJ 0108.01	NIJ 0108.01	NIJ 0108.01	NIJ 0108.01
PROTECTION LEVEL	Level III & Special Threats	Level III & Special Threats	Level III & Special Threats	Level III & Special Threats
CONFIGURATION	Stand Alone	Stand Alone	Stand Alone	Stand Alone
PLATE THICKNESS	.56 in. / 14 mm	.56 in. / 14 mm	.56 in. / 14 mm	.56 in. / 14 mm
CURVATURE	Single Curve	Single Curve	Single Curve	Single Curve
MATERIALS	UHMWPE	UHMWPE	UHMWPE	UHMWPE
COVER	Black Polyurea	Black Polyurea	Black Polyurea	Black Polyurea

THREATS	5.56 x 45-mm, 55-grain M193 Ball 7.62 x 39-mm, 123-grain PS Ball 7.62 x 51-mm, 149-grain M80 FMJ 7.62 x 54R-mm, 148-grain LPS (2550 FPS)	5.56 x 45-mm, 55-grain M193 Ball 7.62 x 39-mm, 123-grain PS Ball 7.62 x 51-mm, 149-grain M80 FMJ 7.62 x 54R-mm, 148-grain LPS (2550 FPS)
----------------	---	---

PRICE	\$5,295.95	\$6,995.95	\$5,595.95	\$7,295.95
--------------	------------	------------	------------	------------

TYR TACTICAL® RAPID RESPONSE BALLISTIC SHIELD ARMOR COMPARISON CHART

LEVEL III PLUS



SHIELD PART#	TYR-RBS/CQB3+SMU-NV	TYR-RBS/CQB3+SMU-VP	TYR-RBS/MT3+SMU-NV	TYR-RBS/MT3+SMU-VP
WEIGHT	26 lbs.	31.1 lbs.	38.5 lbs.	43.8 lbs.
DIMENSION	18" x 32"	18" x 32" Viewport: 9.75" x 4"	24" x 36"	24" x 36" Viewport: 9.75" x 4"
TESTING STANDARD	NIJ 0108.01	NIJ 0108.01	NIJ 0108.01	NIJ 0108.01
PROTECTION LEVEL	Level III Plus Special Threats	Level III Plus Special Threats	Level III Plus Special Threats	Level III Plus Special Threats
CONFIGURATION	Stand Alone	Stand Alone	Stand Alone	Stand Alone
PLATE THICKNESS	.67 in. / 17 mm	.67 in. / 17 mm	.67 in. / 17 mm	.67 in. / 17 mm
CURVATURE	Single Curve	Single Curve	Single Curve	Single Curve
MATERIALS	UHMWPE & Hybrid Ceramics	UHMWPE & Hybrid Ceramics	UHMWPE & Hybrid Ceramics	UHMWPE & Hybrid Ceramics
COVER	Black Polyurea	Black Polyurea	Black Polyurea	Black Polyurea

THREATS

5.56 x 45-mm, 55-grain M193 Ball
7.62 x 39-mm, 123-grain PS Ball
7.62 x 51-mm, 149-grain M80 FMJ
7.62 x 54R-mm, 148-grain LPS
5.56 x 45 -mm, 62-grain M855 (2550 FPS)

5.56 x 45-mm, 55-grain M193 Ball
7.62 x 39-mm, 123-grain PS Ball
7.62 x 51-mm, 149-grain M80 FMJ
7.62 x 54R-mm, 148-grain LPS
5.56 x 45 -mm, 62-grain M855 (2550 FPS)

PRICE	\$6,995.95	\$8,995.95	\$7,595.95	\$9,595.95
-------	------------	------------	------------	------------

TYR TACTICAL® RAPID RESPONSE BALLISTIC SHIELD ARMOR COMPARISON CHART

LEVEL IV



SHIELD PART#	TYR-RBS/MT4-NV
WEIGHT	46.9 lbs.
DIMENSION	24" x 36"
TESTING STANDARD	NIJ 0108.01
PROTECTION LEVEL	Level IV & Special Threats
CONFIGURATION	Stand Alone
PLATE THICKNESS	.93 in. / 24 mm
CURVATURE	Single Curve
MATERIALS	UHMWPE & Hybrid Ceramics
COVER	Black Polyurea

THREATS	<p>5.56 x 45-mm, 55-grain M193 Ball 7.62 x 39-mm, 123-grain PS Ball 7.62 x 51-mm, 147-grain M80 FMJ 7.62 x 54R-mm, 148-grain, LPS 7.62 x 54R-mm, 155-grain API 7.62 x 54R-mm, 155-grain B-32 .30-06-cal., 166-grain APM2</p>
----------------	--

PRICE	\$28,995.95
--------------	--------------------

OUR MOTIVATION

For more than a decade, TYR Tactical® has led the way in body armor development aimed at safeguarding military personnel and law enforcement from today's evolving threats. Ensuring the safety of those who serve around the world remains our top priority. TYR Tactical's ballistic plates and rapid response shield systems are the most advanced armor products on the market and are exceeding current industry standards.

OUR CAPABILITY

Our 42,000 square foot hard armor facility is equipped with cutting-edge machinery that is transforming the hard armor industry. With continued investment in state-of-the-art equipment, TYR Tactical® has the capability to design and develop a comprehensive range of hard armor products including ballistic plates, shields, and specialized OEM solutions.

OUR DRIVE TO INNOVATE

At TYR Tactical®, we live by our motto, Innovate or Die®. Our hard armor design team brings decades of collective experience in ballistic materials and protective equipment development. With a blend of expertise, cutting-edge equipment, advanced manufacturing techniques, and an unwavering commitment to innovation, we are poised to drive the armor industry forward.



TYR TACTICAL FACILITIES

TYR TACTICAL: EST. 2010

Location: **Peoria, AZ**

MAIN HEADQUARTERS

This 83,000 sq. ft. facility is the heart of TYR Tactical and where the bulk of our product development and manufacturing occurs.

HARD ARMOR BUILDING:

This 43,000 sq. ft. facility is located at our Peoria, AZ main campus. This building houses state-of-the-art presses and autoclaves to support hard armor production. This much needed expansion, along with our current in-house Ballistic Test Range, gives us unmatched armor development and production capability.

TYR TACTICAL CANADA: EST. 2015

Location: **Kanata, ON**

TYR Tactical Canada was built to better serve the Canadian Conventional and Special Operations Forces, Royal Canadian Mounted Police, and other agencies. This facility is focused on producing 100% Canadian made products, as well as custom design and development work.

TYR TACTICAL DENMARK: EST. 2019

Location: **Aarhus, DK**

TYR Tactical Denmark was established to better serve the Danish Defence Forces and European agencies. This facility handles product repairs, sizing, sustainment and product maintenance services.

TYR TACTICAL EL PASO: EST. 2023

Location: **El Paso, TX**

TYR Tactical El Paso is the newest TYR Tactical facility designed and staffed to optimize the production of our products.





TYR
TACTICAL®

623 -240 -1400 PHONE
INFO@TYRTACTICAL.COM EMAIL

JOIN US ON OUR SOCIAL MEDIA OUTLETS:



WWW.TYRTACTICAL.COM