




**TYR**  
TACTICAL®

EPIC™ ASSAULTER'S PLATE CARRIER

INNOVATE OR DIE

## OUR BRANDS

Established in 2010, TYR Tactical® is the leading global manufacturer of tactical gear and equipment for military and law enforcement. Our wide range of products are designed to meet the needs of tactical operators, including tactical vests, plate carriers, concealable carriers, hard armor and shields, carrier accessories, and more.



### TYR TACTICAL®

Leading tactical gear and equipment, offering a wide range of products to meet the needs of operators.



### HURON™

Leading personal gear product line made to work in conjunction with all TYR Tactical® gear. Constructed utilizing industry's best textiles and built to last in the harshest environments.



### REVERE K9®

Provides top-of-the-line tactical gear for our K9 counterpart.

## AWARDS & ACCOLADES

- 2012 Dupont Kevlar Innovation Award
- 2015 Arizona State University Hahnco Companies Special Achievement in Entrepreneurship
- 2017 Peoria Chamber of Commerce City Manager's Award
- 2020 Pine District Business of the Year
- 2020 Phoenix Business Journal Arizona Corporate Excellence Fastest-Growing Companies
- 2022 Arizona Manufacturers Council Medium Manufacturer of the Year
- 2023 Arizona Capitol Times Leader of the Year
- 2024 Arizona Chamber of Commerce Corporate Citizen of the Year





Dear Friends,

As co-founders of TYR Tactical®, our mission has always been to prioritize your safety through innovative designs and technologies. We are dedicated to serving the men and women of Law Enforcement, Federal Agencies, and U.S. and Allied Armed Forces with products that set the industry standards.

Guided by our mantra Innovate or Die®, we focus on creating ergonomic, dynamic solutions that enhance comfort, movement, and performance. Through rigorous testing and user feedback, we ensure our gear not only meets but exceeds mission demands.

As a proud family-owned business, we are honored to support those who serve their communities. We are dedicated to delivering high-quality gear that excels in modularity and scalability while continually enhancing tactical performance. Our commitment to innovation ensures that our products set the standard in the industry and stand as a testament to our unwavering commitment to your safety and operational excellence.

**With Servitude and Gratitude,**

Handwritten signatures of Jason and Jane Beck in black ink.

**Jason & Jane Beck**

# INTEGRATED BALLISTIC FRAMEWORK

The TYR Tactical® System utilizes a patented five-layer configuration functioning as TYR Tactical's Integrated Ballistic Framework. The Integrated Ballistic Framework is a systematic approach that provides protection, comfort, and stability to the end user.



## SPACER MESH

The body facing material utilizes advanced antimicrobial spacer mesh which provides decreased hot spots on the body by utilizing our airflow chamber technology.

## PATENTED BALLISTIC VEIN®

Increases load carriage performance, provides a rigid platform, reduces fatigue, stabilizes and enhances soft armor inserts by up to 50% blunt force trauma.

## BALLISTIC SOFT ARMOR

Helps absorb the impact from firearm projectiles and fragmentations.

## BALLISTIC HARD ARMOR

Provides additional protection from rifle rounds.

## PATENTED PV®

Increases the lifespan of the carrier by up to 7-10 times that of regular 500 denier carriers while enhancing the ballistic capability, providing structure, and improving both abrasion and fire resistance.

# TYR TACTICAL®

## MALE EPIC™ ASSAULTER'S PLATE CARRIER DEVELOPMENT & DESIGN

TYR Tactical® has always led the industry with our innovative designs. Whether you require an ultra-light-weight plate carrier or a full coverage scalable vest, our products will meet your needs. Available in both Male and Female variants, the TYR Tactical® full coverage vest will easily be the most comfortable, scalable vest you'll ever wear.





# TYR TACTICAL®

## FEMALE EPIC™ ASSAULTER'S PLATE CARRIER



### ENHANCED DESIGN FEATURES:

#### QUICK RELEASE

- Single-handed 4-wire cutaway

#### BREATHABILITY & MOISTURE PROTECTION

- Antimicrobial/FR treated padded spacer mesh system

#### SCALABLE SYSTEM

- Compatible with our complete line of armored accessories
- Zippers for Assaulter's Zip-On Back Panels
- MOLLE Assaulter's Zip-On Back Panel
- XFrame® Dynamic Load Carriage® compatible
- PALS webbing for MOLLE attachment
- Semi-rigid, lace adjustable, exterior MOLLE cummerbund

#### PATENTED INTEGRATED BALLISTIC FRAMEWORK

- Increases structural integrity & reduces back face deformation
- Patented Ballistic Vein®

#### ELONGATED MATERIAL LIFE & ABRASION RESISTANCE

- Engineered utilizing patented PV® material

#### PLATE POCKET STYLE

- Incorporates a gusseted plate pocket which relieves tension and pressure normally placed on the body from hard plates in classic plate pocket configuration
- Available in several different shapes depending on the profile of your plate

#### ADDITIONAL FEATURES

- Patented female shape
- EPIC™ low profile shoulder pads
- Hydration/Communication tabs for routing
- Reinforced drag handle
- Two side mag adapters



Exceeds Level II &  
USSOCOM Frag Specs  
**TYR-F-EPIC-NFA2/DK**  
**\$1,595.95**

NJ 0101.06 Certified Level II  
**TYR-F-EPIC-NFA2/10F**  
**\$1,695.95**

NJ 0101.06 Certified Level IIIA  
**TYR-F-EPIC-TXP3A**  
**\$1,595.95**

NJ 0101.06 Certified Level IIIA  
**TYR-F-EPIC-NFA3/10F**  
**\$1,795.95**

# TYR TACTICAL®

## MALE EPIC™ ASSAULTER'S PLATE CARRIER



### ENHANCED DESIGN FEATURES:

#### QUICK RELEASE

- Single-handed 4-wire cutaway

#### BREATHABILITY & MOISTURE PROTECTION

- Antimicrobial/FR treated padded spacer mesh system

#### SCALABLE SYSTEM

- Compatible with our complete line of armored accessories
- Zippers for Assaulter's Zip-On Back Panels
- MOLLE Assaulter's Zip-On Back Panel
- XFrame® Dynamic Load Carriage® compatible
- PALS webbing for MOLLE attachment
- Semi-rigid, lace adjustable, exterior MOLLE cummerbund

#### PATENTED INTEGRATED BALLISTIC FRAMEWORK

- Increases structural integrity & reduces back face deformation
- Patented Ballistic Vein®

#### ELONGATED MATERIAL LIFE & ABRASION RESISTANCE

- Engineered utilizing patented PV® material

#### PLATE POCKET STYLE

- Incorporates a gusseted plate pocket which relieves tension and pressure normally placed on the body from hard plates in classic plate pocket configuration
- Available in several different shapes depending on the profile of your plate

#### ADDITIONAL FEATURES

- EPIC™ low profile shoulder pads
- Hydration/Communication tabs for routing
- Reinforced drag handle
- Two side mag adapters



Exceeds Level II &  
USSOCOM Frag Specs  
**TYR-M-EPIC-NFA2/DK**  
**\$1,595.95**

NIJ 0101.06 Certified Level II  
**TYR-M-EPIC-NFA2/10**  
**\$1,695.95**

NIJ 0101.06 Certified Level IIIA  
**TYR-M-EPIC-TXP3A**  
**\$1,595.95**

NIJ 0101.06 Certified Level IIIA  
**TYR-M-EPIC-NFA3/10**  
**\$1,795.95**



# TYR TACTICAL®

## FEMALE NON-CUTAWAY EPIC™ ASSAULTER'S PLATE CARRIER



### ENHANCED DESIGN FEATURES:

#### BREATHABILITY & MOISTURE PROTECTION

- Antimicrobial/FR treated padded spacer mesh system

#### SCALABLE SYSTEM

- Compatible with our complete line of armored accessories
- Zippers for Assaulter's Zip-On Back Panels
- MOLLE Assaulter's Zip-On Back Panel
- XFrame® Dynamic Load Carriage® compatible
- PALS webbing for MOLLE attachment
- Semi-rigid, lace adjustable, exterior MOLLE cummerbund

#### PATENTED INTEGRATED BALLISTIC FRAMEWORK

- Increases structural integrity & reduces back face deformation
- Patented Ballistic Vein®

#### ELONGATED MATERIAL LIFE & ABRASION RESISTANCE

- Engineered utilizing patented PV® material

#### PLATE POCKET STYLE

- Incorporates a gusseted plate pocket which relieves tension and pressure normally placed on the body from hard plates in classic plate pocket configuration
- Available in several different shapes depending on the profile of your plate

#### ADDITIONAL FEATURES

- Patented female shape
- EPIC™ low profile shoulder pads
- Hydration/Communication tabs for routing
- Reinforced drag handle
- Two side mag adapters

Exceeds Level II &  
USSOCOM Frag Specs  
**TYR-F-EPIC-NC-NFA2/DK**  
**\$1,595.95**

NIJ 0101.06 Certified Level II  
**TYR-F-EPIC-NC-NFA2/10F**  
**\$1,695.95**

NIJ 0101.06 Certified Level IIIA  
**TYR-F-EPIC-NC-TXP3A**  
**\$1,595.95**

NIJ 0101.06 Certified Level IIIA  
**TYR-F-EPIC-NC-NFA3/10F**  
**\$1,795.95**





# TYR TACTICAL®

## MALE NON-CUTAWAY EPIC™ ASSAULTER'S PLATE CARRIER



### ENHANCED DESIGN FEATURES:

#### BREATHABILITY & MOISTURE PROTECTION

- Antimicrobial/FR treated padded spacer mesh system

#### SCALABLE SYSTEM

- Compatible with our complete line of armored accessories
- Zippers for Assaulter's Zip-On Back Panels
- MOLLE Assaulter's Zip-On Back Panel
- XFrame® Dynamic Load Carriage® compatible
- PALS webbing for MOLLE attachment
- Semi-rigid, lace adjustable, exterior MOLLE cummerbund

#### PATENTED INTEGRATED BALLISTIC FRAMEWORK

- Increases structural integrity & reduces back face deformation
- Patented Ballistic Vein®

#### ELONGATED MATERIAL LIFE & ABRASION RESISTANCE

- Engineered utilizing patented PV® material

#### PLATE POCKET STYLE

- Incorporates a gusseted plate pocket which relieves tension and pressure normally placed on the body from hard plates in classic plate pocket configuration
- Available in several different shapes depending on the profile of your plate

#### ADDITIONAL FEATURES

- EPIC™ low profile shoulder pads
- Hydration/Communication tabs for routing
- Reinforced drag handle
- Two side mag adapters

Exceeds Level II &  
USSOCOM Frag Specs  
**TYR-M-EPIC-NC-NFA2/DK**  
**\$1,595.95**

NIJ 0101.06 Certified Level II  
**TYR-M-EPIC-NC-NFA2/10**  
**\$1,695.95**

NIJ 0101.06 Certified Level IIIA  
**TYR-M-EPIC-NC-TXP3A**  
**\$1,595.95**

NIJ 0101.06 Certified Level IIIA  
**TYR-M-EPIC-NC-NFA3/10**  
**\$1,795.95**



# TYR TACTICAL®

## FEMALE EPIC-DSX ASSAULTER'S PLATE CARRIER



### ENHANCED DESIGN FEATURES:

#### QUICK RELEASE

- Tactic buckle system provides a quick connect for users to don & doff the plate carrier utilizing one hand

#### BREATHABILITY & MOISTURE PROTECTION

- Antimicrobial/FR treated padded spacer mesh system
- Slotted poly mesh base cummerbund for increased ventilation

#### SCALABLE SYSTEM

- Compatible with our complete line of armored accessories
- QASM buckle system
- Zippers for Assaulter's Zip-On Back Panels
- Flush admin chest pocket with internal elastic keepers
- MOLLE Assaulter's Zip-On Back Panel with internal 50 oz. hydration pocket

#### PATENTED INTEGRATED BALLISTIC FRAMEWORK

- Increases structural integrity & reduces back face deformation
- Patented Ballistic Vein®

#### ELONGATED MATERIAL LIFE & ABRASION RESISTANCE

- Engineered utilizing patented PV® material

#### PLATE POCKET STYLE

- Incorporates a gusseted plate pocket which relieves tension and pressure normally placed on the body from hard plates in classic plate pocket configuration
- Available in several different shapes depending on the profile of your plate

#### ADDITIONAL FEATURES

- Patented female shape
- Armored THOR shoulders
- Reinforced drag handle
- Two side mag adapters

Exceeds Level II &  
USSOCOM Frag Specs  
**TYR-F-EPIC-DSX-NFA2/DK**  
**\$1,595.95**

NIJ 0101.06 Certified Level II  
**TYR-F-EPIC-DSX-NFA2/10F**  
**\$1,695.95**

NIJ 0101.06 Certified Level IIIA  
**TYR-F-EPIC-DSX-TXP3A**  
**\$1,595.95**

NIJ 0101.06 Certified Level IIIA  
**TYR-F-EPIC-DSX-NFA3/10F**  
**\$1,795.95**





# TYR TACTICAL®

## MALE EPIC-DSX ASSAULTER'S PLATE CARRIER



### ENHANCED DESIGN FEATURES:

#### QUICK RELEASE

- Tactic buckle system provides a quick connect for users to don & doff the plate carrier utilizing one hand

#### BREATHABILITY & MOISTURE PROTECTION

- Antimicrobial/FR treated padded spacer mesh system
- Slotted poly mesh base cummerbund for increased ventilation

#### SCALABLE SYSTEM

- Compatible with our complete line of armored accessories
- QASM buckle system
- Zippers for Assaulter's Zip-On Back Panels
- Flush admin chest pocket with internal elastic keepers
- MOLLE Assaulter's Zip-On Back Panel with internal 50 oz. hydration pocket

#### PATENTED INTEGRATED BALLISTIC FRAMEWORK

- Increases structural integrity & reduces back face deformation
- Patented Ballistic Vein®

#### ELONGATED MATERIAL LIFE & ABRASION RESISTANCE

- Engineered utilizing patented PV® material

#### PLATE POCKET STYLE

- Incorporates a gusseted plate pocket which relieves tension and pressure normally placed on the body from hard plates in classic plate pocket configuration
- Available in several different shapes depending on the profile of your plate

#### ADDITIONAL FEATURES

- Armored THOR shoulders
- Reinforced drag handle
- Two side mag adapters

Exceeds Level II &  
USSOCOM Frag Specs  
**TYR-M-EPIC-DSX-NFA2/DK**  
**\$1,595.95**

NIJ 0101.06 Certified Level II  
**TYR-M-EPIC-DSX-NFA2/10**  
**\$1,695.95**

NIJ 0101.06 Certified Level IIIA  
**TYR-M-EPIC-DSX-TXP3A**  
**\$1,595.95**

NIJ 0101.06 Certified Level IIIA  
**TYR-M-EPIC-DSX-NFA3/10**  
**\$1,795.95**



# TYR TACTICAL®

## FEMALE EPIC-SWD-DSX ASSAULTER'S PLATE CARRIER



### ENHANCED DESIGN FEATURES:

#### QUICK RELEASE

- Tactic buckle system provides a quick connect for users to don & doff the plate carrier utilizing one hand

#### BREATHABILITY & MOISTURE PROTECTION

- Antimicrobial/FR treated padded spacer mesh system

#### SCALABLE SYSTEM

- Compatible with our complete line of armored accessories
- Zippers for Assaulter's Zip-On Back Panels
- Flush admin chest pocket with internal elastic keepers
- MOLLE Assaulter's Zip-On Back Panel
- Loop attachment points on the back of the vest
- Armored cummerbund with plate pocket

#### PATENTED INTEGRATED BALLISTIC FRAMEWORK

- Increases structural integrity & reduces back face deformation
- Patented Ballistic Vein®

#### ELONGATED MATERIAL LIFE & ABRASION RESISTANCE

- Engineered utilizing patented PV® material

#### PLATE POCKET STYLE

- Incorporates a gusseted plate pocket which relieves tension and pressure normally placed on the body from hard plates in classic plate pocket configuration
- Available in several different shapes depending on the profile of your plate

#### ADDITIONAL FEATURES

- Patented female shape
- Repair buckle kit
- Armored THOR shoulders
- Hydration/Communication tabs for routing
- Reinforced drag handle
- Two side mag insert adapters

Exceeds Level II & USSOCOM Frag Spec  
**TYR-F-EPIC-SWD-DSX-2/DK**  
\$1,695.95

NIJ 0101.06 Certified Level II  
**TYR-F-EPIC-SWD-DSX-NFA2/10F**  
\$1,795.95

NIJ 0101.06 Certified Level IIIA  
**TYR-F-EPIC-SWD-DSX-TXP3A**  
\$1,695.95

NIJ 0101.06 Certified Level IIIA  
**TYR-F-EPIC-SWD-DSX-NFA3/10F**  
\$1,895.95





# TYR TACTICAL®

## MALE EPIC-SWD-DSX ASSAULTER'S PLATE CARRIER



### ENHANCED DESIGN FEATURES:

#### QUICK RELEASE

- Tactic buckle system provides a quick connect for users to don & doff the plate carrier utilizing one hand

#### BREATHABILITY & MOISTURE PROTECTION

- Antimicrobial/FR treated padded spacer mesh system

#### SCALABLE SYSTEM

- Compatible with our complete line of armored accessories
- Zippers for Assaulter's Zip-On Back Panels
- Flush admin chest pocket with internal elastic keepers
- MOLLE Assaulter's Zip-On Back Panel
- Loop attachment points on the back of the vest
- Armored cummerbund with plate pocket

#### PATENTED INTEGRATED BALLISTIC FRAMEWORK

- Increases structural integrity & reduces back face deformation
- Patented Ballistic Vein®

#### ELONGATED MATERIAL LIFE & ABRASION RESISTANCE

- Engineered utilizing patented PV® material

#### PLATE POCKET STYLE

- Incorporates a gusseted plate pocket which relieves tension and pressure normally placed on the body from hard plates in classic plate pocket configuration
- Available in several different shapes depending on the profile of your plate

#### ADDITIONAL FEATURES

- Repair buckle kit
- Armored THOR shoulders
- Hydration/Communication tabs for routing
- Reinforced drag handle
- Two side mag insert adapters

Exceeds Level II & USSOCOM Frag Spec  
TYR-M-EPIC-SWD-DSX-2/DK  
\$1,695.95

NIJ 0101.06 Certified Level II  
TYR-M-EPIC-SWD-DSX-NFA2/10  
\$1,795.95


NIJ 0101.06 Certified Level IIIA  
TYR-M-EPIC-SWD-DSX-TXP3A  
\$1,695.95

NIJ 0101.06 Certified Level IIIA  
TYR-M-EPIC-SWD-DSX-NFA3/10  
\$1,895.95



# TYR TACTICAL®

## SOFT ARMOR



### TYR TACTICAL® SOFT ARMOR SPECIFICATIONS

| SOFT ARMOR PACKAGES      | NFA2/DK                                  | NFA2/10*                                                                              | NFA3/10*                                                                                | TXP3A                                     |
|--------------------------|------------------------------------------|---------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|-------------------------------------------|
| THICKNESS                | .23"                                     | .21"                                                                                  | .24"                                                                                    | .21"                                      |
| WEIGHT/<br>AREAL DENSITY | .78 lbs. psf                             | .82 lbs. psf                                                                          | 1.09 lbs. psf                                                                           | 1.23 lbs. psf                             |
| TESTING<br>STANDARD      | NIJ 0101.06<br>USMC Testing Standards    | NIJ 0101.06<br>FBI Testing Standards                                                  | NIJ 0101.06<br>FBI Testing Standards                                                    | NIJ 0101.06                               |
| PROTECTION<br>LEVEL      | Level II<br>USMC Testing<br>Requirements | Certified Level II<br>FBI & DEA Requirements<br>USSOCOM Fragmentation<br>Requirements | Certified Level IIIA<br>FBI & DEA Requirements<br>USSOCOM Fragmentation<br>Requirements | Certified Level IIIA                      |
| V <sub>50</sub>          | 9mm / 1999 fps<br>.357 Mag / 1852 fps    | 9mm / 1686 fps<br>.357 Mag / 1741 fps                                                 | .357 Sig / 1865 fps<br>.44 Mag / 1690 fps                                               | .357 Sig / 1818 fps<br>.44 Mag / 1656 fps |
| BACK-FACE<br>DEFORMATION | 9mm / 37.7mm<br>.357 Mag / 40.5mm        | 9mm / 33.8mm<br>.357 Mag / 36.6mm                                                     | .357 Sig / 30.3mm<br>.44 Mag / 35.4mm                                                   | .357 Sig / 26.01 mm<br>.44 Mag / 33.59 mm |
| IDEAL USE                | Tactical/<br>Military                    | Concealable/<br>Military                                                              | Tactical                                                                                | Tactical                                  |

\*Available in Gender Neutral and Female Version



# TYR TACTICAL®

## EPIC™ ASSAULTER'S PLATE CARRIER ARMOR KIT



### SOFT ARMOR OPTIONS:

#### NFA2/DK

Exceeds Level II &  
USSOCOM Frag Spec

#### NFA2/10

NIJ 0101.06 Certified Level II

#### NFA3/10

NIJ 0101.06 Certified Level IIIA

#### TXP3A

NIJ 0101.06 Certified Level IIIA

MAKE IT A KIT



| FIGURE | DESCRIPTION                     | ITEM#            |
|--------|---------------------------------|------------------|
| A      | EPIC™ CUTAWAY THROAT            | TYR-M-ETHR-CW*   |
| B      | EPIC™ CUTAWAY COLLAR/YOKE       | TYR-M-ECLRYK-CW* |
| C      | BALLISTIC BICEPS/DELTOID        | TYR-MST115*      |
| D      | EPIC™ ASSAULTER'S PLATE CARRIER | TYR-M-EPIC       |
| E      | BALLISTIC LOWER ABDOMEN         | TYR-LW109MV      |

\*Available in female versions

# TYR TACTICAL®

## HARD ARMOR PLATE COMPARISON CHART/SPECS

### LEVEL III



| PLATE PART#      | TYR-XHA3/BD<br>TYR-XHA3/BD-66                                                                                                                                                                                                                    | TYR-HA3/ST<br>TYR-HA3/ST-66                                                                                                                                                                                                                      | TYR-XHA3/HST<br>TYR-XHA3/HST-66                                                                                                                                                                               | TYR-XHA3/HST-SWC                                                                                                                                                      |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WEIGHTS          | XSmall: 2.05 lbs. / 0.93 kg<br>Small: 2.71 lbs. / 1.23 kg<br>Medium: 3.24 lbs. / 1.47 kg<br>Large: 3.64 lbs. / 1.65 kg<br>XLarge: 4.26 lbs. / 1.93 kg<br>6x6: 1.06 lbs. / 0.48 kg                                                                | XSmall: 1.78 lbs. / 0.81 kg<br>Small: 2.36 lbs. / 1.07 kg<br>Medium: 2.82 lbs. / 1.28 kg<br>MD4: 2.90 lbs. / 1.32 kg<br>Large: 3.16 lbs. / 1.43 kg<br>XLarge: 3.70 lbs. / 1.68 kg<br>6x6: .92 lbs. / 0.42 kg                                     | XSmall: 1.52 lbs. / 0.68 kg<br>Small: 1.90 lbs. / 0.86 kg<br>Medium: 2.20 lbs. / 0.99 kg<br>Large: 2.56 lbs. / 1.16 kg<br>XLarge: 2.90 lbs. / 1.31 kg<br>6x6: .73 lbs. / 0.33 kg                              | Small: 1.87 lbs. / 0.84 kg<br>Medium: 2.10 lbs. / 0.95 kg<br>Large: 2.18 lbs. / 0.98 kg<br>XLarge: 2.41 lbs. / 1.09 kg                                                |
| DIMENSIONS       | XSmall: 6.9" x 10.9" / 17.52 x 27.68 cm<br>Small: 8.5" x 11.5" / 21.6 x 29.21 cm<br>Medium: 9.3" x 12.3" / 23.62 x 31.24 cm<br>Large: 10" x 13" / 25.4 x 33.02 cm<br>XLarge: 10.9" x 13.8" / 27.69 x 35.05 cm<br>6x6: 6" x 6" / 15.24 x 15.24 cm | XSmall: 6.9" x 10.9" / 17.52 x 27.68 cm<br>Small: 8.5" x 11.5" / 21.6 x 29.21 cm<br>Medium: 9.3" x 12.3" / 23.62 x 31.24 cm<br>Large: 10" x 13" / 25.4 x 33.02 cm<br>XLarge: 10.9" x 13.8" / 27.69 x 35.05 cm<br>6x6: 6" x 6" / 15.24 x 15.24 cm | XSmall: 6.9" x 10.9" / 17.52 x 27.68 cm<br>Small: 8.5" x 11.5" / 21.6 x 29.21 cm<br>Medium: 9.3" x 12.3" / 23.62 x 31.24 cm<br>Large: 10" x 13" / 25.4 x 33.02 cm<br>XLarge: 10.9" x 13.8" / 27.69 x 35.05 cm | Small: 8.5" x 11.5" / 21.6 x 29.21 cm<br>Medium: 9.3" x 12.3" / 23.62 x 31.24 cm<br>Large: 10" x 13" / 25.4 x 33.02 cm<br>XLarge: 10.9" x 13.8" / 27.69 x 35.05 cm    |
| TESTING STANDARD | Certified<br>NIJ 0101.06                                                                                                                                                                                                                         | Certified<br>NIJ 0101.06                                                                                                                                                                                                                         | NIJ 0101.06                                                                                                                                                                                                   | NIJ 0101.06                                                                                                                                                           |
| PROTECTION LEVEL | Level III                                                                                                                                                                                                                                        | Level III                                                                                                                                                                                                                                        | Level III                                                                                                                                                                                                     | Level III                                                                                                                                                             |
| CONFIGURATION    | Stand Alone                                                                                                                                                                                                                                      | In-Conjunction with<br>NFA3/10 or TXP3A                                                                                                                                                                                                          | Stand Alone or<br>In-Conjunction with PSA2/18                                                                                                                                                                 | Stand Alone or<br>In-Conjunction with PSA2/18                                                                                                                         |
| PLATE THICKNESS  | 1.00 in. / 25.4 mm                                                                                                                                                                                                                               | .82 in. / 20 mm                                                                                                                                                                                                                                  | .59 in. / 15 mm                                                                                                                                                                                               | .59 in. / 15 mm                                                                                                                                                       |
| BUOYANCY         | Positive                                                                                                                                                                                                                                         | Positive                                                                                                                                                                                                                                         | Positive                                                                                                                                                                                                      | Positive                                                                                                                                                              |
| CURVATURE        | Multi Curve<br>6x6: Single Curve                                                                                                                                                                                                                 | Multi Curve<br>6x6: Single Curve                                                                                                                                                                                                                 | Multi Curve                                                                                                                                                                                                   | Multi Curve                                                                                                                                                           |
| MATERIALS        | UHMWPE & Elastomeric Urethane Foam                                                                                                                                                                                                               | UHMWPE & Elastomeric Urethane Foam                                                                                                                                                                                                               | UHMWPE                                                                                                                                                                                                        | UHMWPE                                                                                                                                                                |
| COVER            | Black Polyurea                                                                                                                                                                                                                                   | Black Polyurea                                                                                                                                                                                                                                   | Black Polyurea                                                                                                                                                                                                | Black Polyurea                                                                                                                                                        |
| THREATS          | 5.56 x 45-mm, 56-grain M193<br>7.62 x 39-mm, 123-grain MSC<br>7.62 x 51-mm, 149-grain M80 FMJ                                                                                                                                                    | 5.56 x 45-mm, 56-grain M193<br>7.62 x 39-mm, 123-grain MSC<br>7.62 x 51-mm, 149-grain M80 FMJ                                                                                                                                                    | Stand Alone<br>5.45 x 39-mm, 53-grain 7N6<br>5.56 x 45-mm, 55-grain M193 Ball<br>7.62 x 39-mm, 123-grain MSC<br><br>In-Conjunction<br>7.62 x 51-mm, 149-grain M80 FMJ                                         | Stand Alone<br>5.45 x 39-mm, 53-grain 7N6<br>5.56 x 45-mm, 55-grain M193 Ball<br>7.62 x 39-mm, 123-grain MSC<br><br>In-Conjunction<br>7.62 x 51-mm, 149-grain M80 FMJ |
| PRICE            | TYR-XHA3/BD<br>\$457.95<br><br>TYR-XHA3/BD-66<br>\$149.95                                                                                                                                                                                        | TYR-HA3/ST<br>\$995.95<br><br>TYR-HA3/ST-66<br>\$199.95                                                                                                                                                                                          | TYR-XHA3/HST<br>\$1,195.95<br><br>TYR-XHA3/HST-66<br>\$395.95                                                                                                                                                 | TYR-XHA3/HST-SWC<br>\$1,195.95                                                                                                                                        |



# TYR TACTICAL®

## HARD ARMOR PLATE COMPARISON CHART/SPECS

### LEVEL III



| PLATE PART#      | TYR-XHA3/7A/T<br>TYR-XHA3/7A/T-66                                                                                                                                                                                                                 | TYR-XHA3/1/T<br>TYR-XHA3/1/T-66                                                                                                                                                                                                                   | TYR-XHA1192/T                                                                                                                                                                                                                                                                   |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WEIGHTS          | X-Small: 2.60 lbs. / 1.18 kg<br>Small: 3.31 lbs. / 1.50 kg<br>Medium: 3.95 lbs. / 1.79 kg<br>Large: 4.46 lbs. / 2.02 kg<br>X-Large: 5.19 lbs. / 2.35 kg<br>6x6: 1.17 lbs. / 0.53 kg                                                               | XSmall: 2.43 lbs. / 1.10 kg<br>Small: 3.08 lbs. / 1.40 kg<br>Medium: 3.68 lbs. / 1.67 kg<br>Large: 4.15 lbs. / 1.88 kg<br>XLarge: 4.83 lbs. / 2.19 kg<br>6x6: 1.13 lbs. / 0.48 kg                                                                 | XSmall: 2.68 lbs. / 1.22 kg<br>Small: 3.33 lbs. / 1.51 kg<br>Medium: 3.81 lbs. / 1.73 kg<br>Large: 4.42 lbs. / 2.00 kg<br>XLarge: 4.99 lbs. / 2.26 kg                                                                                                                           |
| DIMENSIONS       | XSmall: 7.1" x 11.4" / 18.03 x 28.96 cm<br>Small: 8.6" x 11.7" / 21.84 x 29.72 cm<br>Medium: 9.5" x 12.5" / 24.13 x 31.75 cm<br>Large: 10" x 13" / 25.4 x 33.02 cm<br>XLarge: 10.9" x 13.8" / 27.69 x 35.05 cm<br>6x6: 6" x 6" / 15.24 x 15.24 cm | XSmall: 7.1" x 11.4" / 18.03 x 28.96 cm<br>Small: 8.6" x 11.7" / 21.84 x 29.72 cm<br>Medium: 9.5" x 12.5" / 24.13 x 31.75 cm<br>Large: 10" x 13" / 25.4 x 33.02 cm<br>XLarge: 10.9" x 13.8" / 27.69 x 35.05 cm<br>6x6: 6" x 6" / 15.24 x 15.24 cm | XSmall: 6.95" x 11.43" / 17.65 x 29.03 cm<br>Small: 8.67" x 11.67" / 22.02 x 29.64 cm<br>Medium: 9.4" x 12.4" / 23.88 x 31.5 cm<br>Large: 10.17" x 13.17" / 25.83 x 33.45 cm<br>XLarge: 10.9" x 13.9" / 27.69 x 35.31 cm                                                        |
| TESTING STANDARD | Certified<br>NIJ 0101.06                                                                                                                                                                                                                          | Modified<br>NIJ 0101.06                                                                                                                                                                                                                           | Modified<br>NIJ 0101.06                                                                                                                                                                                                                                                         |
| PROTECTION LEVEL | Level III                                                                                                                                                                                                                                         | Level III &<br>Special Threats                                                                                                                                                                                                                    | Level III &<br>Special Threats                                                                                                                                                                                                                                                  |
| CONFIGURATION    | In-Conjunction with<br>NFA3/10                                                                                                                                                                                                                    | In-Conjunction with<br>NIJ Level II or above                                                                                                                                                                                                      | In-Conjunction with<br>NIJ Level II or above                                                                                                                                                                                                                                    |
| PLATE THICKNESS  | .89 in. / 23 mm                                                                                                                                                                                                                                   | .61 in. / 15 mm                                                                                                                                                                                                                                   | .56 in. / 14 mm                                                                                                                                                                                                                                                                 |
| BUOYANCY         | None                                                                                                                                                                                                                                              | None                                                                                                                                                                                                                                              | None                                                                                                                                                                                                                                                                            |
| CURVATURE        | Multi Curve<br>6x6: Single Curve                                                                                                                                                                                                                  | Multi Curve<br>6x6: Single Curve                                                                                                                                                                                                                  | Multi Curve                                                                                                                                                                                                                                                                     |
| MATERIALS        | Ceramic Composite HAP                                                                                                                                                                                                                             | Ceramic Composite HAP                                                                                                                                                                                                                             | Ceramic Composite HAP                                                                                                                                                                                                                                                           |
| COVER            | TPU                                                                                                                                                                                                                                               | TPU                                                                                                                                                                                                                                               | TPU                                                                                                                                                                                                                                                                             |
| THREATS          | 5.56 x 45-mm, 56-grain M193<br>5.56 x 45-mm, 62-grain M855<br>7.62 x 39-mm, 123-grain MSC<br>7.62 x 51-mm, 149-grain M80 FMJ                                                                                                                      | Multi-hit<br>5.45 x 39-mm, 53-grain MSC 7N6<br>5.56 x 45-mm, 55-grain M193 Ball<br>5.56 x 45-mm, 62-grain M855, SS109<br>7.62 x 39-mm, 123-grain PS Ball<br>7.62 x 51-mm, 149-grain M80 FMJ<br>Single hit<br>7.62x54R-mm, 148-grain LPS           | 5.45 x 39-mm, 53-grain MSC 7N6<br>5.56 x 45-mm, 55-grain M193 Ball<br>5.56 x 45-mm, 62-grain M855 Ball A1<br>5.56 x 45-mm, 62-grain M855 Ball SS109<br>7.62 x 39-mm, 123-grain MSC<br>7.62 x 39-mm, API - BZ<br>7.62 x 54R-mm, 148-grain LPS<br>7.62 x 51-MM, 149-grain M80 FMJ |
| PRICE            | TYR-XHA3/7A/T<br>\$495.95<br>TYR-XHA3/7A/T-66<br>\$245.95                                                                                                                                                                                         | TYR-XHA3/1<br>\$624.95<br>TYR-XHA3/1-66<br>\$399.95                                                                                                                                                                                               | TYR-XHA1192/T<br>\$1,095.95                                                                                                                                                                                                                                                     |

## HARD ARMOR PLATE COMPARISON CHART/SPECS

### LEVEL IV




| PLATE PART#      | TYR-XHA4/7-S/T                                                                                                                                                                                                 | TYR-XHA4/S6/T                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | TYR-XHA4/SA/T<br>TYR-XHA4/SA/T-66                                                                                                                                                                                                                                                                                                                                                                                                       | TYR-XHA4/SA/T-SWC                                                                                                                                                                                                                                                                                                                                                                                                                       |
|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WEIGHTS          | XSmall: 4.09 lbs. / 1.86 kg<br>Small: 5.15 lbs. / 2.34 kg<br>Medium: 6.17 lbs. / 2.80 kg<br>Large: 6.99 lbs. / 3.17 kg<br>XLarge: 8.13 lbs. / 3.69 kg                                                          | XSmall: 3.25 lbs. / 1.47 kg<br>Small: 4.05 lbs. / 1.83 kg<br>Medium: 4.71 lbs. / 2.13 kg<br>Large: 5.46 lbs. / 2.47 kg<br>XLarge: 6.20 lbs. / 2.81 kg                                                                                                                                                                                                                                                                                                                                   | XSmall: 3.40 lbs. / 1.54 kg<br>Small: 4.23 lbs. / 1.91 kg<br>Medium: 4.92 lbs. / 2.23 kg<br>Medium Long: 5.47 lbs. / 2.48 kg<br>Large: 5.71 lbs. / 2.59 kg<br>XLarge: 6.48 lbs. / 2.93 kg<br>6x6: 1.6 lbs. / .73 kg                                                                                                                                                                                                                     | Small: 4.31 lbs. / 1.95 kg<br>Medium: 4.84 lbs. / 2.19 kg<br>Large: 5.03 lbs. / 2.28 kg<br>XLarge: 5.55 lbs. / 2.51 kg                                                                                                                                                                                                                                                                                                                  |
| DIMENSIONS       | XSmall: 7.1" x 11.4" / 18.03 x 28.96 cm<br>Small: 8.6" x 11.7" / 21.84 x 29.72 cm<br>Medium: 9.5" x 12.5" / 24.13 x 31.75 cm<br>Large: 10" x 13" / 25.4 x 33.02 cm<br>XLarge: 10.9" x 13.8" / 27.69 x 35.05 cm | XSmall: 6.95" x 11.43" / 17.65 x 29.03 cm<br>Small: 8.67" x 11.67" / 22.02 x 29.64 cm<br>Medium: 9.4" x 12.4" / 23.88 x 31.5 cm<br>Large: 10.17" x 13.17" / 25.83 x 33.45 cm<br>XLarge: 10.9" x 13.9" / 27.69 x 35.31 cm                                                                                                                                                                                                                                                                | XSmall: 6.95" x 11.43" / 17.65 x 29.03 cm<br>Small: 8.67" x 11.67" / 22.02 x 29.64 cm<br>Medium: 9.4" x 12.4" / 23.88 x 31.5 cm<br>Large: 10.17" x 13.17" / 25.83 x 33.45 cm<br>XLarge: 10.9" x 13.9" / 27.69 x 35.31 cm<br>6x6: 6" x 6" / 15.24 x 15.24 cm                                                                                                                                                                             | Small: 8.67" x 11.67" / 22.02 x 29.64 cm<br>Medium: 9.4" x 12.4" / 23.88 x 31.5 cm<br>Large: 10.17" x 13.17" / 25.83 x 33.45 cm<br>XLarge: 10.9" x 13.9" / 27.69 x 35.31 cm                                                                                                                                                                                                                                                             |
| TESTING STANDARD | Certified<br>NIJ 0101.06                                                                                                                                                                                       | Modified<br>NIJ 0101.06                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Modified<br>NIJ 0101.06                                                                                                                                                                                                                                                                                                                                                                                                                 | Modified<br>NIJ 0101.06                                                                                                                                                                                                                                                                                                                                                                                                                 |
| PROTECTION LEVEL | Level IV                                                                                                                                                                                                       | Level III & Special Threats Stand Alone<br>Level IV In-Conjunction                                                                                                                                                                                                                                                                                                                                                                                                                      | Level IV                                                                                                                                                                                                                                                                                                                                                                                                                                | Level IV                                                                                                                                                                                                                                                                                                                                                                                                                                |
| CONFIGURATION    | In-Conjunction with<br>NFA3/10                                                                                                                                                                                 | Stand Alone for Level III+ / Special Threat<br>In-Conjunction with PSA2/18 for Level IV                                                                                                                                                                                                                                                                                                                                                                                                 | Stand Alone                                                                                                                                                                                                                                                                                                                                                                                                                             | Stand Alone                                                                                                                                                                                                                                                                                                                                                                                                                             |
| PLATE THICKNESS  | 1.00 in. / 25 mm                                                                                                                                                                                               | .78 in / 20 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | .89 in / 23 mm                                                                                                                                                                                                                                                                                                                                                                                                                          | .89 in / 23 mm                                                                                                                                                                                                                                                                                                                                                                                                                          |
| BUOYANCY         | None                                                                                                                                                                                                           | None                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | None                                                                                                                                                                                                                                                                                                                                                                                                                                    | None                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| CURVATURE        | Multi Curve                                                                                                                                                                                                    | Multi Curve                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Multi Curve                                                                                                                                                                                                                                                                                                                                                                                                                             | Multi Curve                                                                                                                                                                                                                                                                                                                                                                                                                             |
| MATERIALS        | Ceramic Composite HAP                                                                                                                                                                                          | Ceramic Composite HAP                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Ceramic Composite HAP                                                                                                                                                                                                                                                                                                                                                                                                                   | Ceramic Composite HAP                                                                                                                                                                                                                                                                                                                                                                                                                   |
| COVER            | TPU                                                                                                                                                                                                            | TPU                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | TPU                                                                                                                                                                                                                                                                                                                                                                                                                                     | TPU                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| THREATS          | 30.06, 166-grain M2 AP                                                                                                                                                                                         | <b>Stand Alone: Multi-hit</b><br>5.56 x 45mm M193 Velocity 3200 – 3300 f/s<br>5.56 x 45mm M855 Velocity 3250 – 3300 f/s<br>7.62 x 39mm MSC Velocity 2330 – 2430 f/s<br>7.62 x 51mm M80 Velocity 2730 – 2830 f/s<br>7.62 x 54Rmm LPS Velocity 2750 – 2800 f/s<br><b>Double hit:</b><br>7.62 x 39mm BZ API Velocity 2400-2450 f/s<br><b>Single hit</b><br>7.62 x 54Rmm B32 API Velocity 2850 – 2900 f/s<br><b>In-Conjunction: Single hit</b><br>7.62 x 63mm M2AP Velocity 2850 – 2910 f/s | <b>Multi-hit</b><br>5.56 x 45mm M193 Velocity 3200 – 3300 f/s<br>5.56 x 45mm M855 Velocity 3250 – 3300 f/s<br>7.62 x 39mm MSC Velocity 2330 – 2430 f/s<br>7.62 x 51mm M80 Velocity 2730 – 2830 f/s<br>7.62 x 54Rmm LPS Velocity 2750 – 2800 f/s<br><b>Double hit:</b><br>7.62 x 39mm BZ API Velocity 2400 – 2450 f/s<br><b>Single hit</b><br>7.62 x 54Rmm B32 API Velocity 2850 – 2900 f/s<br>7.62 x 63mm M2AP Velocity 2850 – 2910 f/s | <b>Multi-hit</b><br>5.56 x 45mm M193 Velocity 3200 – 3300 f/s<br>5.56 x 45mm M855 Velocity 3250 – 3300 f/s<br>7.62 x 39mm MSC Velocity 2330 – 2430 f/s<br>7.62 x 51mm M80 Velocity 2730 – 2830 f/s<br>7.62 x 54Rmm LPS Velocity 2750 – 2800 f/s<br><b>Double hit:</b><br>7.62 x 39mm BZ API Velocity 2400 – 2450 f/s<br><b>Single hit</b><br>7.62 x 54Rmm B32 API Velocity 2850 – 2900 f/s<br>7.62 x 63mm M2AP Velocity 2850 – 2910 f/s |
| PRICE            | TYR-XHA4/7-S/T<br>\$595.95                                                                                                                                                                                     | TYR-XHA4/S6/T<br>\$1,495.95                                                                                                                                                                                                                                                                                                                                                                                                                                                             | TYR-XHA4/SA/T<br>\$1,595.95<br>TYR-XHA4/SA/T-66<br>\$595.95                                                                                                                                                                                                                                                                                                                                                                             | TYR-XHA4/SA/T-SWC<br>\$1,695.95                                                                                                                                                                                                                                                                                                                                                                                                         |



# TYR TACTICAL®

## BELTS

### TYR TACTICAL® RIGGER STYLE GUNFIGHTER® BELT



#### FEATURES & SPECIFICATIONS:

- Dim: 2" W

#### CONSTRUCTION

- High strength type 13 webbing
- One soft rigger point
- Exterior: 2 rows of 1/2" MOLLE webbing
- Interior: Removable antimicrobial/FR treated spacer mesh pad
- Closure: 2" Cobra® buckle
- Independently tested: Vertical pull test 6,800 lbs. +/-5%
- Sizes: Small - 2XLarge (See Sizing Chart)

Interior Velcro® Loop  
TYR-GFB114-E  
\$124.95

Interior Velcro® Hook  
TYR-GFB114-E-V2  
\$124.95



### TYR TACTICAL® BASE BELT-D



#### FEATURES & SPECIFICATIONS:

- Dim: 2" W

#### CONSTRUCTION

- High strength type 13 webbing
- Closure: 2" Cobra® buckle
- Independently tested: Vertical pull test 6,800 lbs. +/-5%
- Sizes: Small - 2XLarge (See Sizing Chart)

TYR-DBB002  
\$112.95



### TYR TACTICAL® DUAL POINT RIGGER BELT



#### FEATURES & SPECIFICATIONS:

- Dim: 2" W

#### CONSTRUCTION

- High strength type 13 webbing
- Two soft rigger points
- Closure: 2" Cobra® buckle
- Independently tested: Vertical pull test 6,800 lbs. +/-5%
- Sizes: Small - 2XLarge (See Sizing Chart)

TYR-RBB017  
\$114.95



# TYR TACTICAL®

## BELTS

### TYR TACTICAL® LOAD CARRIAGE GUNFIGHTER® BELT



(sold separately)



TYR-DBB002



TYR-RBB017



#### FEATURES & SPECIFICATIONS:

- Dim 6.5" W

#### CONSTRUCTION

- Engineered utilizing patented PV® material
- PALS webbing for MOLLE attachment
- Patented Ballistic Vein®
- Antimicrobial/FR treated padded spacer mesh
- Armor and foam inserts are removable

#### RECOMMENDED INNER BELTS

- Base Belt-D\*
  - Complete line of Rigger Belts\*
- \* Sold Separately

#### SIZES:

Small - 2XLarge

Foam Insert  
**TYR-BKBLB-F**  
**\$239.95**

Exceeds Level II & USSOCOM Frag Spec  
**TYR-BKBLB-NFA2/DK**  
**\$499.95**

Meets NIJ 0101.06 Level IIIA Certification  
**TYR-BKBLB-TXP3A**  
**\$499.95**

Meets NIJ 0101.06 Level II Certification  
**TYR-BKBLB-NFA2/10**  
**\$509.95**

Meets NIJ 0101.06 Level IIIA Certification  
**TYR-BKBLB-NFA3/10**  
**\$519.95**

### TYR TACTICAL® GUNFIGHTER® MODULAR ASSAULTER'S BELT - MAB

**TYR-RBB017** (sold separately)

**MAB OUTER BELT**



**MAB INNER BELT**



#### FEATURES & SPECIFICATIONS:

- Dim: Outer Belt 4.5" W Inner Belt 2" W

#### CONSTRUCTION

- Engineered utilizing patented PV® material
- PALS webbing for MOLLE attachment
- Internal hook & loop
- Patented Ballistic Vein®
- Works with our complete line of Tactical Base & Rigger Belts
- Hook & loop on the inner belt prevents the outer belt from shifting when donned
- 1/2" PALS webbing on the front and 1" on the sides/rear of the belt for MOLLE attachment
- Armor and foam inserts are removable

#### COMPONENTS

- MAB Inner Belt
- MAB Outer Belt

#### SIZES:

Small - 2XLarge

Foam Insert  
**TYR-GF-MAB/S-001-F**  
**\$239.95**

Exceeds Level II & USSOCOM Frag Spec  
**TYR-GF-MAB/S-001-NFA2/DK**  
**\$399.95**

Meets NIJ 0101.06 Level IIIA Certification  
**TYR-GF-MAB/S-001-TXP3A**  
**\$399.95**

Meets NIJ 0101.06 Level II Certification  
**TYR-GF-MAB/S-001-NFA2/10**  
**\$439.95**

Meets NIJ 0101.06 Level IIIA Certification  
**TYR-GF-MAB/S-001-NFA3/10**  
**\$479.95**

# TYR TACTICAL®

## POUCHES



**TYR TACTICAL® PISTOL MAG POUCH - COMBAT ADJUSTABLE HAPPY MAG®**

### FEATURES & SPECIFICATIONS:

- Engineered utilizing 500 denier Cordura®
- Patented design
- Integrated Happy Mag® clip
- Conforms to both the single & double stack mags
- Wt: 2.82 oz.
- Dim: 3.75" H x 1.75" W x 1.25" D

**TYR-CLPA004-H**  
\$64.95



**TYR TACTICAL® SINGLE 9MM PISTOL MAG POUCH**

### FEATURES & SPECIFICATIONS:

- Engineered utilizing 500 denier Cordura®
- Conforms to both the single & double stack mags
- Wt: 2.24 oz.
- Starting Dim: 3.75" H x 1.75" W x .75" D

**TYR-CLPA002**  
\$48.95



**TYR TACTICAL® PISTOL MAG POUCH - DOUBLE 9MM**

### FEATURES & SPECIFICATIONS:

- Engineered utilizing 500 denier Cordura®
- Holds two mags
- Wt: 1.47 oz.
- Dim: 5.5" H x 1.5" W x 1.25" D

**TYR-MP902**  
\$65.95



**TYR TACTICAL® RIFLE MAG POUCH - SINGLE 5.56 OPEN TOP HAPPY MAG®**

### FEATURES & SPECIFICATIONS:

- Engineered utilizing patented PV® material
- Holds one 5.56 mag
- Integrated Happy Mag® clip
- Wt: 2.98 oz.
- Dim: 4" H x 2.75" W x 1.25" D

**TYR-MR103**  
\$47.95



**TYR TACTICAL® RIFLE MAG POUCH - COMBAT ADJUSTABLE HAPPY MAG®**

### FEATURES & SPECIFICATIONS:

- Engineered utilizing 500 denier Cordura®
- Patented design
- Conforms to 5.56 or 7.62 mags
- Wt: 3.55 oz.
- Starting Dim: 4.5" H x 3.25" W x 1" D

**TYR-CLPA001**  
\$48.95



**TYR TACTICAL® RIFLE MAG POUCH - COMBAT ADJUSTABLE HAPPY MAG®**

### FEATURES & SPECIFICATIONS:

- Engineered utilizing 500 denier Cordura®
- Patented design
- Integrated Happy Mag® clip
- Conforms to 5.56 or 7.62 mags
- Wt: 4.93 oz.
- Starting Dim: 4.5" H x 3.25" W x 1.25" D

**TYR-CLPA003-H**  
\$85.95



**TYR TACTICAL® COMBAT ADJUSTABLE SINGLE RIFLE MAG POUCH WITH REMOVABLE CLOSURE**

### FEATURES & SPECIFICATIONS:

- Engineered utilizing patented PV® material
- Patented design
- Conforms to 5.56 or 7.62 mags
- Retention cord securing strap
- Wt: 4.16 oz.
- Dims: 4.5" H x 3.25" W x 1" D

**TYR-CLPA141**  
\$64.95



**TYR TACTICAL® RIFLE MAG POUCH - DOUBLE M4/M16**

### FEATURES & SPECIFICATIONS:

- Engineered utilizing patented PV® material
- Holds two 5.56 mags
- Wt: 2.50 oz.
- Dim: 7.5" H x 3" W x 2.25" D

**TYR-MR101**  
\$37.95



**TYR TACTICAL® COMBAT ADJUSTABLE DOUBLE RIFLE MAG POUCH WITH REMOVABLE CLOSURE**

### FEATURES & SPECIFICATIONS:

- Engineered utilizing patented PV® material
- Patented design
- Conforms to 5.56 or 7.62 mags
- Retention cord securing strap
- Wt: 4.80 oz.
- Starting Dim: 4.5" H x 3.25" W x 2" D

**TYR-CLPA014**  
\$79.95





# TYR TACTICAL®

## POUCHES



### TYR TACTICAL® GAS MASK DROP LEG/POUCH

#### FEATURES & SPECIFICATIONS:

- Attaches to our complete line of load carriage Gunfighter® Belts
- 4-way stretch Tweave allows the fit of multiple types of gas masks
- 1.5" Adjustable, elastic leg strap
- Available in left & right configurations
- Wt: 11.20 oz.
- Dim: 9" H x 7.25" W x 5.25" D

**TYR-OD730-CAN**  
\$109.95



### TYR TACTICAL® MEDIUM CUTAWAY IFAK MEDICAL POUCH

#### FEATURES & SPECIFICATIONS:

- Engineered utilizing 500 denier Cordura®
- Carries medical items for self & buddy aid
- Interior includes multiple elastic retention straps & pockets
- Wt: 8.08 oz.
- Dim: 5.5" H x 7" W x 3" D

**TYR-MD002-S**  
\$54.95



### TYR TACTICAL® SMALL 5" X 5" GENERAL PURPOSE POUCH

#### FEATURES & SPECIFICATIONS:

- Engineered utilizing patented PV® material
- Main pocket with two-way zipper
- Wt: 3.12 oz.
- Dim: 5" W x 5" H x 2.5" D

**TYR-GP055-SM**  
\$42.95



### TYR TACTICAL® MEDIUM 6" X 4" GENERAL PURPOSE POUCH

#### FEATURES & SPECIFICATIONS:

- Engineered utilizing 500 denier Cordura®
- Six elastic straps for glow lights & shotgun shells
- Main pocket with two-way zipper
- Wt: 3.29 oz.
- Dim: 4" H x 6" W x 2.5" D

**TYR-GP064**  
\$43.95



### TYR TACTICAL® MEDIUM CUTAWAY IFAK-MZ MEDICAL POUCH

#### FEATURES & SPECIFICATIONS:

- Engineered utilizing 500 denier Cordura®
- Carries medical items for self & buddy aid
- Interior includes multiple elastic retention straps & pockets
- Wt: 8.96 oz.
- Dim: 7" H x 4.5" W x 2.5" D

**TYR-NZ-MD735**  
\$110.95



### TYR TACTICAL® MEDIUM 6" X 6" GENERAL PURPOSE POUCH

#### FEATURES & SPECIFICATIONS:

- Engineered utilizing patented PV® material
- External MOLLE/PALS Webbing
- Wt: 5.28 oz.
- Dim: 6" H x 6" W x 2.5" D

**TYR-GP066-MD**  
\$49.95



### TYR TACTICAL® MEDICAL TOURNIQUET HOLDER

#### FEATURES & SPECIFICATIONS:

- Attaches via MOLLE/PALS webbing
- Elastic stowage straps hold 1 tourniquet
- Wt: 1.12 oz.
- Dim: 5.875" H x 1.625" W x 2" D

**TYR-MD-ACTP-2**  
\$25.95



# TYR TACTICAL®

## POUCHES



**TYR TACTICAL® MOTOROLA® XTS  
RADIO POUCH**

### FEATURES & SPECIFICATIONS:

- Engineered utilizing 500 denier Cordura®
- Fits one Motorola® XTS 2550 or 3500 radio models
- Wt: 2.64 oz.
- Dim: 5.25" H x 3" W x 2" D

**TYR-CM025**  
**\$36.95**



**TYR TACTICAL®  
VERTICAL NVG POUCH**

### FEATURES & SPECIFICATIONS:

- Engineered utilizing 500 denier Cordura®
- Fits most night vision goggle models
- Optional padded insert upgrade available
- Wt: 3.32 oz.
- Dim: 6" H x 5" W x 3" D

**TYR-CM314**  
**\$39.95**



**TYR TACTICAL® HARD  
BREACHING TOOL HOLDER**

### FEATURES & SPECIFICATIONS:

- Engineered utilizing patented PV® material
- Internally reinforced with PVC
- Wt: 13.98 oz.
- Dim: 6.25" H x 3" W x 2.5" D

**TYR-OD801-S**  
**\$75.95**



**TYR TACTICAL® SINGLE  
HANDCUFF POUCH**

### FEATURES & SPECIFICATIONS:

- Engineered utilizing 500 denier Cordura®
- Holds one pair
- Wt: 1.6 oz.
- Dim: 3.5" H x 3" W x 1" D

**TYR-OD021**  
**\$24.95**



**TYR TACTICAL® LEATHERMAN MUT2  
MULTI-TOOL**

### FEATURES & SPECIFICATIONS:

- Engineered utilizing patented PV® material
- Holds one Leatherman® MUT Tool
- Internal pocket for accessories
- Wt: 1.28 oz.
- Dim: 5" H x 2" W x 1" D

**TYR-ODMUT-2**  
**\$30.95**



**TYR TACTICAL® SINGLE  
SMOKE GRENADE POUCH**

### FEATURES & SPECIFICATIONS:

- Engineered utilizing 500 denier Cordura®
- Holds one standard military size smoke grenade
- Wt: 1.98 oz.
- Dim: 5.57" H x 3" W x 2" D

**TYR-OD725**  
**\$32.95**



**TYR TACTICAL® SINGLE  
FLASHBANG POUCH**

### FEATURES & SPECIFICATIONS:

- Engineered utilizing patented PV® material
- Holds one flashbang
- Wt: 1.56 oz.
- Dim: 6" H x 2" W x 1.5" D

**TYR-OD707**  
**\$36.95**



**TYR TACTICAL® ORDNANCE / BREACHING  
POUCH - 5.25" FLASHLIGHT**

### FEATURES & SPECIFICATIONS:

- Engineered utilizing 500 denier Cordura®
- Fits lights up to 1.25" with bezel diameter/ 5.25" H
- Wt: 1.10 oz.
- Dim: 5.5" H x 1.65" W x 1.65" D

**TYR-OD502**  
**\$30.95**



**TYR TACTICAL® SMALL  
DUMP POUCH**

### FEATURES & SPECIFICATIONS:

- Engineered utilizing 500 denier Cordura®
- Easily attaches to your carrier, belt, or backpack
- Wt: 2.99 oz.
- Dim: 10" H x 6" W x 6" D

**TYR-OD106B**  
**\$52.95**





**MALE CARRIER SIZE RELATES TO THE PLATE SIZE & OPERATORS CHEST WIDTH:**

| SIZE    | CHEST WIDTH | WAIST MEASUREMENT | PLATE POCKET  |
|---------|-------------|-------------------|---------------|
| SMALL   | 35" - 37"   | 30" - 32"         | 8.5" X 11.5"  |
| MEDIUM  | 38" - 41"   | 33" - 36"         | 9.3" X 12.3"  |
| LARGE   | 42" - 45"   | 37" - 40"         | 10" X 13"     |
| XLARGE  | 46" - 49"   | 41" - 44"         | 10.9" X 13.8" |
| 2XLARGE | 50" - 53"   | 45" - 47"         | 10.9" X 13.8" |



**FEMALE CARRIER SIZE RELATES TO THE PLATE SIZE & OPERATORS CHEST WIDTH:**

| SIZE   | CHEST WIDTH | WAIST MEASUREMENT | PLATE POCKET   |
|--------|-------------|-------------------|----------------|
| XSMALL | 31" - 33"   | 27" - 29"         | 6.87" X 11.12" |
| SMALL  | 34" - 35"   | 30" - 31"         | 6.87" X 11.12" |
| MEDIUM | 36" - 37"   | 32" - 33"         | 8.5" X 11.5"   |
| LARGE  | 38" - 40"   | 34" - 36"         | 8.5" X 11.5"   |
| XLARGE | 41" - 43"   | 37" - 38"         | 9.3" X 12.3"   |





**TYR**  
**TACTICAL®**

623 -240 -1400 PHONE  
INFO@TYRTACTICAL.COM EMAIL

JOIN US ON OUR SOCIAL MEDIA OUTLETS:



WWW.TYRTACTICAL.COM